Mission:

To protect, promote & improve the health of all people in Florida through integrated state, county & community efforts.



Joseph A. Ladapo, MD, PhD State Surgeon General

Vision: To be the Healthiest State in the Nation

Septic Tank Abandonment Permit Packet

Please submit the following items:

- 1) Complete the attached <u>Application Page</u>. All applicable information must be completed. The application will not be processed without a property street address and property ID (parcel number). **NOTE:** Please list the property owner as the applicant on the application and the individual applying for the application as the agent.
- 2) An <u>Agent Authorization Form</u> is required if the application is submitted by an individual that is not the property owner or a contractor licensed under section 489 of the Florida Statutes.
- 3) A <u>Site Plan</u>. The site plan must show the layout of the property including building structures, streets, and the location of the septic tank to be abandoned.
- 4) A fee of \$50.00. Please make checks payable to Florida Department of Health in Pinellas or FL DOH-Pinellas.

A licensed inspector must visually inspect that the septic tank has been properly abandoned. It is the responsibility of the agent, contractor, or property owner to schedule an inspection appointment, providing a minimum of 24 hours advanced notice. Please call 727-538-7277 to schedule an appointment. As of July 1, 2021, virtual evidence may be submitted to ensure the tank is crushed, filled and no sanitary nuisance exists.

During the inspection, the following abandonment procedures will be verified:

- 5) After receiving the permit:
 - A) The septic tank must be pumped out by a state licensed septage disposal service. A copy of the receipt for the pumpout must be provided to the inspector at the time of inspection.
 - B) The bottom of the tank shall be crushed or caved in, or multiple holes punched in bottom of tank to prevent the tank from holding water. In addition, the ENTIRE lid of the septic tank must be removed and/or crushed PRIOR to inspection.
 - C) An inspector from DOH will conduct an inspection during the pre-scheduled time slot to verify the septic tank abandonment. Please do not cover the abandoned septic tank prior to inspection.
 - D) After the inspection, the septic tank shall be filled with clean sand or other clean fill material.

NOTE: Failure to call for the required inspection may result in a citation and/or fine.

Please note: If the septic tank will not be ready for inspection at the pre-scheduled appointment time, it is the responsibility of the agent or property owner to call and cancel the appointment. Cancellations must be made a minimum of one hour prior to the appointment time slot. A re-inspection fee of \$50 will be charged for failing to cancel the appointment or to provide a one-hour notice. To schedule, re-schedule, or cancel an inspection, please call (727) 538-7277.





STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM (OSTDS)

PERMIT NO.	
DATE PAID:	
FEE PAID:	
RECEIPT #:	

	APPI	LICATION	FOR CONSTRU	CTION P	CKMT.I.	_		
	CATION FOR: New System Repair	[] E	xisting System bandonment	m [] Ho	lding Tank mporary	[]	Innovative
APPLI	CANT:					EMA]	IL:	
AGENT	':					TELEP	HONE : _	
MAILI	NG ADDRESS: _							
TO BE BY A APPLI PLATT	COMPLETED BY PERSON LICENS CANT'S RESPON ED (MM/DD/YY)	APPLICANT ED PURSUAN ISIBILITY T IF REQUES	OR APPLICANT IT TO 489.105(O PROVIDE DOC TING CONSIDER	'S AUTHOR: 3)(m) OR UMENTATIO ATION OF	IZED AG 489.55 N OF T STATUTG	GENT. SYSTE 2, FLORIDA HE DATE THE ORY GRANDFA	EMS MUS STATUTE LOT WA	AS CREATED OR
	RTY INFORMATI							N PLAN? [Y/N]
LOT:_	BLOCK:	s	JBDIVISION:				PL	ATTED:
PROPE	RTY ID #:			ZONING:		I/M OR E	EQUIVAL	ENT: [Y / N]
IS SE	WER AVAILABLE	- : AS PER 38		Y / N]				PD []>2000 PD SEWER:FT
BUILD	ING INFORMATI	ON	[] RESIDE	NTIAL	[] COMMERCIA	AL	
Unit <u>No</u>	Type of Establishmen			_		rcial/Insti I, Chapter		al System Design FAC
1								
2								
3								
4	-							
[]	Floor/Equipm	ent Drains		r (Specify	 z)			
	TURE:		, , , ,	- (0,0021)	.,		ATE:	
	(-							

DEP 4015, 06-21-2022 Obsoletes previous editions which may not be used)

APPLICANT: Property owner's full name.

AGENT: Property owner's legally authorized representative.

EMAIL: Email address for applicant or agent.

TELEPHONE: Telephone number for applicant or agent.

MAILING ADDRESS: P.O. box or street, city, state and zip code mailing address for applicant or agent.

OSTDS REMEDIATION

PLAN:

Is the property subject to the requirements of an Onsite Sewage Treatment and Disposal

System (OSTDS) Remediation Plan developed pursuant to 403.067(7)(a), Florida

Statutes?

LOT, BLOCK, SUBDIVISION:

Lot, block, and subdivision for lot (recorded or unrecorded subdivision). If lot is not in a recorded subdivision, a copy of the lot legal description or deed must be attached.

DATE OF SUBDIVISION: Official date of subdivision recorded in county plat books (month/day/year) or date lot

originally recorded. Dividing an approved lot into two or more parcels for the purpose of

conveying ownership shall be considered a subdivision of the lot.

PROPERTY ID#: 27-character number for property. County Health Department may require property

appraiser ID # or section/township/range/parcel number.

ZONING: Specify zoning and whether or not property is in I/M zoning or equivalent usage.

PROPERTY SIZE: Area of lot in acres (square footage divided by 43,560 square feet). List only the square

footage contained within the bounds of the legal description.

WATER SUPPLY: Check private or public <= 2000 gallons per day or public > 2000 gallons per day.

SEWER AVAILABILITY: Is sewer available as per 381.0065, Florida Statutes, and distance to sewer in feet?

PROPERTY ADDRESS: Street address for property. For lots without an assigned street address, indicate street

or road and locale in county.

DIRECTIONS: Provide detailed instructions to lot or attach an area map showing lot location.

BUILDING INFORMATION: Check residential or commercial.

TYPE ESTABLISHMENT: List type of establishment from Table I, Chapter 62-6, FAC. Examples: single family,

single wide mobile home, restaurant, doctor's office and number of occupants.

NO. BEDROOMS: Count all rooms designed primarily for sleeping and those areas expected to routinely

provide sleeping accommodations for occupants per 381.0065(2 b), Florida Statutes.

BUILDING AREA: Total square footage of enclosed habitable area of dwelling unit, excluding garage,

carport, exterior storage shed, or open or fully screened patios or decks. Based on

outside measurements for each story of structure.

BUSINESS A TIVITY: For commercial/institutional applications only. List number of employees, shifts, and

hours of operation, or other information required by Table I, Chapter 62-6, FAC.

FIXTURES: Mark Floor/Equipment Drains or Others and specify item or "NA" if not applicable.

SIGNATURE / DATE: Signature of applicant or agent. Date application submitted to the County Health

Department with appropriate fees and attachments.

ATTACHMENTS: A site plan drawn to scale, showing boundaries with dimensions, locations of residences or buildings, swimming pools, recorded easements, onsite sewage disposal system components and location, slope of property, any existing or proposed wells, drainage features, filled areas, obstructed areas, and surface water. Location ofwells, onsite sewage disposal systems, surface waters, and other pertinent facilities or features on adjacent property, if the features are with 75 feet of the applicant lot. Location of any public well within 200 feet of lot. For residences, a floor plan (residences) showing number of bedrooms and building area of each unit. For nonresidential establishments, a floorplan showing the square footage of the establishment, all plumbing drains and fixture types, and other features necessaryto determine composition and quantity of wastewater.

STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

APPLICATION FOR CONSTRUCTION PERMIT

																	Pe	rmit	App	licat	ion l	Num	ber_							
		-									F	PAR	TII -	- SIT	EPL	_AN														
Scal	ع. ⊢	ach	bloc	k rei	ores	ents	10	feet	and	1 in	ch =	- 40	feet																	
	j. <u>L</u>									T																				
		+																										$\vdash \vdash$	\dashv	
		-																												
		+																									\Box		\dashv	
-																														
		+																												
		-																											\dashv	
		_																												
																													-	
		+																												
-		+																											\dashv	
_		-																											\dashv	
Note	s: _																													
_	_	_	_	_			_	_			_	_				_						_			_			_	_	_
Site	Plan	sub	mitte	ed b	y:																_									
Plan	Apr	orove	ed									N	Not A	Appr	oved	dt								D)ate					
Ву																			_									n Dep		
_y																								<u> </u>	, Juil	. , , ,	Juill	. 50	, ai ti	

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH EPARTMENT

DEP 4015, 06-21- Obsoletes previous editions which may ot be used)

Incorporated: 62-6.004,F.A.C.

ARE PROPOSED:
□ a. Structures;

FOR NEW/EXISTING/MODIFICATION SYSTEM APPLICATIONS: The plan must be DRAWN TO SCALE and must be for the property where the system is to be installed.

1. The site plan must SHOW BOUNDARIES WITH DIMENSIONS and any of the following FEATURES THAT EXIST ORTHAT

 □ b. Swimming pools; □ c. Recorded easements; □ d. Onsite sewage treatment and disposal system components; □ e. Slope of the property; □ f. Wells;
 □ g. Potable and non-potable water lines and valves; □ h. Drainage features; □ i. Filled areas; □ j. Excavated areas for onsite sewage systems; □ k. Obstructed areas;
 □ I. Surface water bodies Requires a surveyor to set the Mean High Water Line boundary for tidally influenced surface water bodies. Requires a surveyor or department staff to set the Mean Annual Flood Line for permanent non-tidal surfacewater bodies □ m. Location of the reference point for system elevation. □ 2. If the county health department is responsible for performing the site evaluation, the applicant or applicant's authorized
representative must indicate the approximate location of wells, onsite sewage treatment and disposal systems, surface water bodies and other pertinent facilities or features on contiguous or adjacent property. If the features are within 75 feet of the applicant lot, the estimated distance to the feature must be shown but need not be drawn to scale. 3. If the county health department will not be performing the site evaluation, the applicant or authorized agent is responsible for the measurements to all features, including the pertinent features within 75 feet of the applicant lot. The location of any public drinking water well, as defined in paragraph 62-6.002(44 b), F.A.C., within 200 feet of the applicant's lot must
also be shown, with the distance indicated from the system to the well. 4. If an individual lot is five acres or greater, the applicant may draw a minimum one acre parcel to scale showing all required features, or the minimum size drawing necessary to properly exhibit all required features, whichever is larger. The applicant must also show the location of that one acre or larger parcel inside the total site ownership. To scale parcelmust be large enough to provide sufficient authorized flow.
□ 5. All information that is necessary to determine the total sewage flow and proper setbacks on the site ownership must b submitted with the application. The applicant lot shall be clearly identified. A copy of the legal description or surveymus accompany the application for confirmation of property dimensions only.
FOR REPAIR ARRIVATIONS, A STATE (NOT REQUIRED TO BE REALIZED TO ONLY TO SOME EVALUATIONS
FOR REPAIR APPLICATIONS: A site plan (NOT REQUIRED TO BE DRAWN TO SCALE) showing: □ property dimensions □ the existing and proposed system configuration and location on the property □ the building location □ potable and non-potable water lines, within the existing and proposed drainfield repair area
 □ property dimensions □ the existing and proposed system configuration and location on the property □ the building location □ potable and non-potable water lines, within the existing and proposed drainfield repair area □ the general slope of the property □ property lines and easements □ any obstructed areas □ any private well show private potable wells if within 100 feet of system, non-potable within 75 feet
□ property dimensions □ the existing and proposed system configuration and location on the property □ the building location □ potable and non-potable water lines, within the existing and proposed drainfield repair area □ the general slope of the property □ property lines and easements □ any obstructed areas □ any private well show private potable wells if within 100 feet of system, non-potable within 75 feet □ any public wells show if within 200 feet of sy tem □ any surface water bodies and stormwater systems show if within 100 feet of system. Requires a surveyor to set theMean High Water Line boundary for tidally influenced surface water bodies. Requires a surveyor or department staff toset the Mean Annual Flood Line for permanent non-tidal surface water bodies.
 □ property dimensions □ the existing and proposed system configuration and location on the property □ the building location □ potable and non-potable water lines, within the existing and proposed drainfield repair area □ the general slope of the property □ property lines and easements □ any obstructed areas □ any private well show private potable wells if within 100 feet of system, non-potable within 75 feet □ any public wells show if within 200 feet of sy tem □ any surface water bodies and stormwater systems show if within 100 feet of system. Requires a surveyor to set the Mean High Water Line boundary for tidally influenced surface water bodies. Requires a surveyor or department staff toset the Mean
 □ property dimensions □ the existing and proposed system configuration and location on the property □ the building location □ potable and non-potable water lines, within the existing and proposed drainfield repair area □ the general slope of the property □ property lines and easements □ any obstructed areas □ any private well show private potable wells if within 100 feet of system, non-potable within 75 feet □ any public wells show if within 200 feet of sy tem □ any surface water bodies and stormwater systems show if within 100 feet of system. Requires a surveyor to set theMean High Water Line boundary for tidally influenced surface water bodies. Requires a surveyor or department staff toset the Mean Annual Flood Line for permanent non-tidal surface water bodies. □ The existing drainfield type shall be described. For ex., mineral aggregate, non-mineral aggregate, chambers, or other. □ Any unusual site conditions which may influence the system design or function such as sloping property, drainage