

Charlie Crist * Governor
 Joseph Chiaro, MD, FAAP * Interim Secretary of Health
 Claude M. Dharamraj, MD, MPH * Pinellas County Health Department Director
 Lisa Cohen * Pinellas & Pasco Counties/Area 5 HIV/AIDS Program Coordinator
 Beth Sudduth, MPH * Area 5 HIV/AIDS Surveillance Program Manager
 Nicole Rondon, MPH * Editor of Surveillance Newsletter



New Reporting Laws!



The HIV/AIDS Surveillance Program would like all of our health care providers and laboratory directors to know about the specific changes on HIV/AIDS Reporting that began on November 20, 2006. To get specific details (and HIV/AIDS information) on the new changes for HIV/AIDS reporting you can go to our website at www.pinellashealth.com/HIVAIDS.asp and print out the updated F.A.C. 64D-3 with the changes specifically for HIV/AIDS and/or print out [Reporting Guidelines](#) for both Laboratory Directors and Health Care Providers. Keep in mind that with HIV/AIDS reporting providers have up to two weeks to report their HIV/AIDS cases whereas laboratories have only three days to report their HIV or CD4 test results. Listed below is a quick summary of both the previous reporting HIV/AIDS guidelines as well as the new changes in the F.A.C. 64D-3 for reporting HIV/AIDS tests/cases to the health department:

Previously HIV/AIDS reporting laws for both laboratories and providers:

- * Repeatedly reactive HIV EIA tests with confirmatory HIV Western Blot tests as of July 1, 1997 **(for both labs and providers)**
- * Diagnostic qualitative or quantitative HIV PCR/viral load or virologic (e.g. NAAT) tests as of July 1, 1997 **(for both labs and providers)**
- * CD4 tests <200 or <14% on HIV positive patients **(for providers)**
- * Any of the 26 AIDS-related opportunistic infections with verified HIV positive status **(for providers)**

The **new** HIV/AIDS reporting law, as of **November 20, 2006**, also adds the following to the above:

- * All detectable and undetectable HIV viral load tests on patients **(for labs)**
- * All positive HIV virologic tests (e.g. p24 AG, NAT/NAAT, viral cultures) on patients **(for labs)**
- * All CD4 tests, with or without confirmed HIV infection **(for labs)**
- * All labs that have HIV positive tests in persons ≥ 13 years of age must also report a serologic testing algorithm for recent HIV seroconversion (STARHS) test result. See F.A.C. 64D-3.029 (3,*11) for further details **(for labs)**
- * All HIV exposed newborns (i.e. infants ≤ 18 months of age) born to an HIV infected woman on the next business day **(for providers)**
- * All HIV detectable viral load cases if an HIV/AIDS surveillance staff member calls your office for more information **(for providers)**

In addition to these new HIV/AIDS reporting laws, practitioners attending a woman for prenatal care should also be aware that the woman should be tested for chlamydia, gonorrhea, hepatitis B, **HIV**, and syphilis (1) at the initial examination related to her current pregnancy and (2) at 28 to 32 weeks gestation – unless the woman can provide documentation of HIV infection. Prior to any testing the woman should be allowed to “opt out” of any or all of these tests. She should be told what tests will be performed and that she has the right to refuse any of these tests. Any test refused should be documented in the chart by either a signed form by the patient or, if refusing to sign, the provider may document the refusal in the chart. If the woman appears at delivery, or within 30 days postpartum, with no record of prenatal care and/or testing after the 27th week of gestation then the woman should be tested for hepatitis B (HbsAg), HIV, and syphilis at delivery or prior to discharge. Specimens submitted to labs by the practitioner should state that the specimen is from a pregnant or postpartum woman. Finally, any Emergency Department in a hospital may satisfy this rule by referring any woman, not receiving prenatal care after the 12th week of gestation, to the county health department. The referral should be in writing and a copy of the referral should be sent to the county health department.

I hope this short summary helps and thank you so much for your cooperation in reporting HIV/AIDS tests and cases to our surveillance office!


Inside this issue:	
Pinellas HIV & AIDS statistics	2
Pasco HIV & AIDS statistics	3
Hillsborough HIV & AIDS statistics	4
Florida HIV & AIDS statistics	5
U.S. HIV & AIDS statistics	5
World HIV & AIDS statistics	5
HIV/AIDS Health Department Contacts	6

Special Points of Interest:

- *Beth Sudduth will be on maternity leave during most of the upcoming six months. Please be patient as our new office staff try to manage the surveillance office in her part-time/temporary absence. Thanks!!*
- *Please call the HIV/AIDS surveillance office at 727-824-6903 if you need HIV/AIDS reporting forms, specific HIV/AIDS statistical information, would like to have a brief HIV/AIDS Surveillance In-Service for your staff in your office, or would like to have your HIV/AIDS cases reviewed in your office. Lissette Arias, Nicole Rondon, Dante Ross or John Maldonado are here to assist you with reporting and/or any statistics you might need! If you are a health care provider in Pasco County and need to report an HIV or AIDS case please call our office or contact Pamela Simmons at the New Port Richey Pasco CHD at 727-862-0782 (x173).*

PINELLAS COUNTY HEALTH DEPARTMENT
 205 DR. M.L.KING ST NO * ST PETERSBURG, FL 33701 * (727) 824-6900

HIV/AIDS Surveillance Biannual Statistics Pinellas and Pasco Counties (Area 5) December 2006



Pinellas County AIDS Statistics

All Pinellas County AIDS data is cumulative from 1981 to Dec. 31, 2006
Source: Pinellas County Health Department, HIV/AIDS Surveillance

The following tables will appear on each quarterly newsletter so that continuity of data can be maintained. Please visit our website for previous newsletters and local HIV/AIDS information at: www.pinellashealth.com

Table 1. AIDS Cases – by ADULT Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	2365 (69%)	0 (0%)	2365 (58%)
Injecting Drug Users (IDU)	397 (12%)	203 (31%)	600 (15%)
Gay/Bi Male & IDU	257 (8%)	0 (0%)	257 (6%)
Heterosexual Contact	216 (6%)	387 (58%)	603 (15%)
Transfusion Recipients	28 (1%)	25 (4%)	53 (1%)
Coagulation Disorder	12 (0%)	0 (0%)	12 (0%)
Risk Not Reported	148 (4%)	50 (7%)	198 (5%)
Total (%)	3423 (100%)	665 (100%)	4088 (100%)

Table 2. AIDS Cases – by PEDIATRIC Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Mother with HIV	10 (77%)	13 (93%)	23 (85%)
Hemophilia	2 (15%)	0 (0%)	2 (7%)
Transfusion Recipients	1 (8%)	0 (0%)	1 (4%)
Risk Not Reported	0 (0%)	1 (7%)	1 (4%)
Total (%)	13 (100%)	14 (100%)	27 (100%)

*"In 2004, blacks accounted for 44% of AIDS cases in men and 70% of those in women."
Source: Florida Department of Health*

Table 3. AIDS Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	2780 (68%)	13 (48%)	2793 (68%)
Black	1083 (27%)	12 (45%)	1095 (27%)
Hispanic	182 (4%)	2 (7%)	184 (4%)
Legacy Asian/Pacific Is.	10 (0%)	0 (0%)	10 (0%)
Am. Indian/AK. Native	8 (0%)	0 (0%)	8 (0%)
Asian	3 (0%)	0 (0%)	3 (0%)
Native Hawaiiin/Pacific Is	1 (0%)	0 (0%)	1 (0%)
Multi-Race	21 (1%)	0 (0%)	21 (1%)
Total (%)	4088 (100%)	27 (100%)	4115 (100%)

Table 4. AIDS Cases – by AGE

Age	Cases (%)	Deaths (%)	Age
0-4	20 (0%)	2312 (57%)	0-4
5-12	7 (0%)		5-12
13-19	25 (1%)		13-19
20-29	603 (15%)		20-29
30-39	1705 (41%)		30-39
40-49	1187 (29%)		40-49
50-59	416 (10%)		50-59
60-64	90 (2%)		60-64
65-69	40 (1%)		65-69
70 +	22 (1%)		70 +
Total (%)	4115 (100%)	2327 (57%)	Total (%)

Pinellas County HIV (only) Statistics

All Pinellas County HIV data is cumulative from 7/1/97 to Dec. 31, 2006
Source: Pinellas County Health Department, HIV/AIDS Surveillance



Table 5. HIV Cases – by ADULT Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	599 (65%)	0 (0%)	599 (47%)
Injecting Drug Users (IDU)	72 (8%)	78 (22%)	150 (12%)
Gay/Bi Male & IDU	57 (6%)	0 (0%)	57 (4%)
Heterosexual Contact	91 (10%)	214 (60%)	305 (24%)
Transfusion Recipients	2 (0%)	1 (0%)	3 (0%)
Coagulation Disorder	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported	101 (11%)	65 (18%)	166 (13%)
Total (%)	922 (100%)	358 (100%)	1280 (100%)

Table 7. HIV Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	720 (56%)	3 (33%)	723 (56%)
Black	452 (35%)	5 (56%)	457 (35%)
Hispanic	76 (6%)	1 (11%)	77 (6%)
Legacy Asian/Pacific Is.	2 (0%)	0 (0%)	2 (0%)
Am. Indian/AK. Native	4 (0%)	0 (0%)	4 (0%)
Asian	5 (1%)	0 (0%)	5 (1%)
Native Hawaiiin/Pacific Is	3 (0%)	0 (0%)	3 (0%)
Multi-Race	18 (2%)	0 (0%)	18 (2%)
Total (%)	1280 (100%)	9 (100%)	1289 (100%)

Table 6. HIV Cases – by PEDIATRIC Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Mother with HIV	5 (100%)	3 (75%)	8 (89%)
Hemophilia	0 (0%)	0 (0%)	0 (0%)
Transfusion Recipients	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported	0 (0%)	1 (25%)	1 (11%)
Total (%)	5 (100%)	4 (100%)	9 (100%)

Table 8. HIV Cases – by AGE

Age	Cases (%)	Deaths (%)	Age
0-4	5 (0%)	52 (4%)	0-4
5-12	4 (0%)		5-12
13-19	57 (4%)		13-19
20-29	316 (25%)		20-29
30-39	461 (36%)		30-39
40-49	317 (25%)		40-49
50-59	106 (8%)		50-59
60-64	12 (1%)		60-64
65-69	4 (0%)		65-69
70 +	7 (1%)		70 +
Total (%)	1289 (100%)	52 (4%)	Total (%)

*"In 2004, 12% of reported new HIV cases occurred in people between 13-29 years of age."
Source: Florida Department of Health*

Pasco County AIDS Statistics



All Pasco County AIDS data is cumulative from 1981 to Dec. 31, 2006
Source: Pinellas County Health Department, HIV/AIDS Surveillance

Table 9. AIDS Cases – by ADULT Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	325 (55%)	0 (0%)	325 (45%)
Injecting Drug Users (IDU)	79 (14%)	40 (28%)	119 (16%)
Gay/Bi Male & IDU	67 (11%)	0 (0%)	67 (9%)
Heterosexual Contact	59 (10%)	88 (61%)	147 (20%)
Transfusion Recipients	13 (2%)	3 (2%)	16 (2%)
Coagulation Disorder	3 (1%)	0 (0%)	3 (0%)
Risk Not Reported	42 (7%)	13 (9%)	55 (8%)
Total (%)	588 (100 %)	144 (100%)	732 (100%)

Table 11. AIDS Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	581 (80%)		
Black	81 (11%)		
Hispanic	60 (8%)		
Legacy Asian/Pacific Is.	3 (0%)	N/A	N/A
Am. Indian/AK. Native	0 (0%)		
Multi-Race/Other	7 (1%)		
Total (%)	732 (100%)	3 (100%)	735 (100%)

Table 10. AIDS Cases – by PEDIATRIC Risk Categories

Exposure	Total (%)
Mother with HIV	3 (100%)
Hemophilia	
Transfusion Recipients	0 (100%)
Risk Not Reported	
Total (%)	3 (100%)

Table 12. AIDS Cases – by AGE

Age	Cases (%)	Deaths (%)	Age
0-12	3 (0%)		0-12
13-19	6 (1%)		13-19
20-29	94 (13%)		20-29
30-39	313 (43%)		30-39
40-49	206 (28%)	N/A	40-49
50-59	83 (11%)		50-59
60-64	8 (1%)		60-64
65-69	12 (2%)		65-69
70 +	10 (1%)		70 +
Total (%)	735 (100%)	384 (52%)	Total (%)

*"The cumulative estimated number of diagnoses of AIDS through 2004 in the United States is 944,305. Through the same time period, 9,443 AIDS cases were estimated in children under age 13."
Source: Centers for Disease Control and Prevention*

Pasco County HIV (only) Statistics

All Pasco County HIV data is cumulative from 7/1/97 to Dec. 31, 2006
Source: Pinellas County Health Department, HIV/AIDS Surveillance

Table 13. Adult HIV Cases – by Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	94 (58%)	0 (0%)	94 (39%)
Injecting Drug Users (IDU)	11 (7%)	11 (14%)	22 (9%)
Gay/Bi Male & IDU	10 (6%)	0 (0%)	10 (4%)
Heterosexual Contact	20 (12%)	50 (64%)	70 (29%)
Transfusion Recipients	N/A	N/A	N/A
Coagulation Disorder	N/A	N/A	N/A
Risk Not Reported/Other	27 (17%)	17 (22%)	44 (19%)
Total (%)	162 (100%)	78 (100%)	240 (100%)



Due to the fact that some of the cell sizes for Pasco County were <3, some of the data has not been completely stratified.

Table 14. Adult HIV Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	180 (74%)		
Black	35 (14%)		
Hispanic	22 (9%)		
Legacy Asian/Pacific Is.	N/A	N/A	N/A
Am. Indian/AK. Native	N/A		
Asian	N/A		
Multi-Race/Other	N/A		
Total (%)	237 (100%)	<3	N/A

Table 15. Adult HIV Cases – by AGE

Age	Cases (%)	Deaths (%)	Age
13-19	17 (7%)		13-19
20-29	63 (26%)		20-29
30-39	89 (37%)		30-39
40-49	46 (19%)	10 (4%)	40-49
50-59	21 (9%)		50-59
60-64	3 (1%)		60-64
65 +	3 (1%)		65 +
Total (%)	242 (100%)	10 (4%)	Total (%)

There have been <3 HIV pediatric cases reported for Pasco County as of July 1997.

Hillsborough County AIDS Statistics



All Hillsborough County AIDS data is cumulative from 1981 to Dec. 31, 2006
Source: Florida Department of Health, Bureau of HIV/AIDS

Table 16. AIDS Cases – by ADULT Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	2906 (61%)	0 (0%)	2906 (47%)
Injecting Drug Users (IDU)	607 (13%)	361 (26%)	968 (16%)
Gay/Bi Male & IDU	383 (8%)	0 (0%)	383 (6%)
Heterosexual Contact	500 (10%)	803 (58%)	1303 (21%)
Transfusion Recipients	28 (1%)	24 (2%)	52 (1%)
Coagulation Disorder	19 (0%)	1 (0%)	20 (0%)
Risk Not Reported	337 (7%)	186 (14%)	523 (9%)
Total (%)	4780 (100%)	1375 (100%)	6155 (100%)

Table 17. AIDS Cases – by PEDIATRIC Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Mother with HIV	31 (82%)	38 (97%)	69 (90%)
Hemophilia	3 (8%)	0 (0%)	3 (4%)
Transfusion Recipients	4 (10%)	0 (0%)	4 (5%)
Risk Not Reported	0 (0%)	1 (3%)	1 (1%)
Total (%)	38 (100%)	39 (100%)	77 (100%)

** Approximately 100,000 persons, or roughly 11% of the national total are currently living with HIV infection in Florida. Source: Florida Department of Health*

Table 18. AIDS Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	2886 (47%)	18 (23%)	2904 (46%)
Black	2311 (37%)	45 (59%)	2356 (38%)
Hispanic	901 (15%)	14 (18%)	915 (15%)
Legacy Asian/Pacific Is.	8 (0%)	0 (0%)	8 (0%)
Am. Indian/AK. Native	4 (0%)	0 (0%)	4 (0%)
Asian	2 (0%)	0 (0%)	2 (0%)
Multi-Race	43 (1%)	0 (0%)	43 (1%)
Total (%)	6155 (100%)	77 (100%)	6232 (100%)

Table 19. AIDS Cases – by AGE

Age	Cases (%)	Deaths (%)	Age	
0-4	60 (1%)	33 (43%)	0-4	
5-12	17 (0%)		5-12	
13-19	46 (1%)	3328 (54%)	13-19	
20-29	1052 (17%)		20-29	
30-39	2548 (41%)		30-39	
40-49	1704 (27%)		40-49	
50-59	586 (9%)		50-59	
60-64	114 (2%)		60-64	
65-69	56 (1%)		65-69	
70 +	49 (1%)		70 +	
Total (%)	6232 (100%)		3361 (54%)	Total (%)

Hillsborough County HIV (only) Statistics

All Hillsborough County HIV data is cumulative from 7/1/97 to Dec. 31, 2006
Source: Florida Department of Health, Bureau of HIV/AIDS



Table 20. HIV Cases – by ADULT Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Gay/Bisexual Men	731 (54%)	0 (0%)	731 (35%)
Injecting Drug Users (IDU)	93 (7%)	93 (13%)	186 (9%)
Gay/Bi Male & IDU	66 (5%)	0 (0%)	66 (3%)
Heterosexual Contact	194 (14%)	401 (54%)	595 (28%)
Transfusion Recipients	0 (0%)	0 (0%)	0 (0%)
Coagulation Disorder	2 (0%)	0 (0%)	2 (0%)
Risk Not Reported	277 (20%)	242 (33%)	519 (25%)
Total (%)	1363 (100%)	736 (100%)	2099 (100%)

Table 21. HIV Cases – by PEDIATRIC Risk Categories

Exposure	Males (%)	Females (%)	Total (%)
Mother with HIV	13 (93%)	16 (100%)	29 (97%)
Hemophilia	0 (0%)	0 (0%)	0 (0%)
Transfusion Recipients	0 (0%)	0 (0%)	0 (0%)
Risk Not Reported	1 (7%)	0 (0%)	1 (3%)
Total (%)	14 (100%)	16 (100%)	30 (100%)

You can obtain Hillsborough and other Florida county data on the Florida Department of Health website: www.doh.state.fl.us
(once at the site click on "AIDS/HIV")

Table 22. HIV Cases – by RACE

Race	Adults (%)	Pediatric (%)	Total (%)
White	741 (35%)	5 (17%)	746 (35%)
Black	998 (48%)	20 (66%)	1018 (48%)
Hispanic	331 (16%)	5 (17%)	336 (16%)
Legacy Asian/Pacific Is.	1 (0%)	0 (0%)	1 (0%)
Am. Indian/AK. Native	7 (0%)	0 (0%)	7 (0%)
Asian	2 (0%)	0 (0%)	2 (0%)
Native Hawaiiin/Pacific Is	2 (0%)	0 (0%)	2 (0%)
Multi-Race	17 (1%)	0 (0%)	17 (1%)
Total (%)	2099 (100%)	30 (100%)	2129 (100%)

Table 23. HIV Cases – by AGE

Age	Cases (%)	Deaths (%)	Age	
0-4	21 (1%)	0 (0%)	0-4	
5-12	9 (0%)		5-12	
13-19	91 (4%)	101 (5%)	13-19	
20-29	578 (27%)		20-29	
30-39	716 (34%)		30-39	
40-49	496 (23%)		40-49	
50-59	153 (7%)		50-59	
60-64	42 (2%)		60-64	
65-69	13 (1%)		65-69	
70 +	10 (1%)		70 +	
Total (%)	2129 (100%)		101 (5%)	Total (%)

Florida HIV/AIDS Statistics

Source: Florida Department of Health, Bureau of HIV/AIDS
HIV/AIDS, STD & TB Monthly Surveillance Report, #267



Table 24. Cumulative HIV Case Counts for Florida (07/01/97—11/30/06)

	HIV	Deaths (%)
Adult	36,893	1,595 (4%)
Pediatric	389	6 (2%)
Total	37,282	1,601 (4%)

Table 25. Cumulative AIDS Case Counts for Florida (1981—11/30/06)

	AIDS	Deaths (%)
Adult	103,914	56,353 (54%)
Pediatric	1,515	855 (56%)
Total	105,429	57,208 (54%)

Table 26. Cumulative HIV/AIDS Case Counts in Surrounding Counties (as of 11/30/06)

County	HIV	AIDS
Hillsborough	3,411	6,222
Pinellas	2,017	4,103
Polk	865	1,775
Sarasota	358	1,020
Manatee	534	991
Pasco	360	702
Highlands	123	187
Hernando	91	202
Hardee	36	79

Table 27. Cumulative HIV/AIDS Case Counts in the Top 7 Florida Counties (as of 11/30/06)

County	HIV	AIDS
Miami-Dade	15,565	29,580
Broward	9,214	16,531
Palm Beach	4,616	9,848
Orange	4,088	6,309
Hillsborough	3,411	6,222
Duval	2,984	5,392
Pinellas	2,017	4,103

United States HIV/AIDS Statistics



Table 28. Cumulative HIV/AIDS Case Counts for U.S. (as of 12/31/05)

	HIV	AIDS	% AIDS Deaths (estimated)
Adult	244,868	945,128	56%
Pediatric	5,082	9,416	54%
Total	249,950	954,544	55%

Source: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 17

Table 30. Cumulative AIDS Cases of 10 Leading U.S. States (as of 12/31/05)

1. New York	172,377	6. Illinois	32,595
2. California	139,019	7. Pennsylvania	31,977
3. Florida	100,809	8. Georgia	30,405
4. Texas	67,227	9. Maryland	29,116
5. New Jersey	48,431	10. Massachusetts	18,896

Source: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 17

Table 29. Cumulative HIV* Cases of 5 Leading U.S. States (as of 12/31/05)

1. New York (06/00)	41,278	17%
2. Florida (07/97)	34,970	14%
3. Texas (02/94)	22,901	9%
4. New Jersey (01/92)	17,233	7%
5. North Carolina (02/90)	13,062	5%

Source: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 17

*Data only from those states where HIV is reportable & includes only persons reported with HIV infection who have not developed AIDS

Table 31. Cumulative AIDS Cases of 20 Leading U.S. Cities/MSAs (as of 12/31/05)

1. New York City	158,052	6. Chicago area	29,293	11. Newark, N.J.	19,825	16. San Diego area	12,612
2. Los Angeles area	56,550	7. Philadelphia area	26,969	12. Dallas area	19,421	17. Tampa-St. Pete	10,688
3. San Francisco	30,277	8. Houston area	24,915	13. Baltimore area	19,624	18. Detroit area	10,000
4. Washington D.C. area	30,125	9. San Juan, PR	21,115	14. Ft. Lauderdale	15,920	19. W. Palm Beach	9,576
5. Miami	29,092	10. Atlanta area	21,059	15. Boston area	13,283	20. Oakland, Ca.	9,349

Source: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 17

World HIV/AIDS Statistics



From W.H.O. (www.who.org) & UNAIDS (www.unaids.org):
Reported World AIDS Cases as of 5/00: 2,201,468
Estimated living World HIV/AIDS Cases as of 2004: 39.4 million
Estimated new HIV infections in World in 2004: 4.9 million
Estimated World deaths due to HIV/AIDS in 2004: 3.1 million

Useful Web Links/Sites for Additional HIV/AIDS Information

Florida HIV/AIDS Statistics: <http://www.doh.state.fl.us/>
 Centers for Disease Control and Prevention: <http://www.cdc.gov/>
 World Health Organization: <http://www.who.int/en/>
 PAHO: AIDS site: <http://www.paho.org/english/ad/fch/ai/aids.htm>
 Int'l Assoc. of Physicians in AIDS care: <http://www.iapac.org/>
 Florida AIDS Hotline site: <http://www.211bigbend.org/hotlines/hiv/>
 HIV/AIDS InSite Information: <http://hivinsite.ucsf.edu/>
 HIV/AIDS Info/Treatment Site: <http://www.aidsinfo.nih.gov/>

FREE HIV Testing Sites*

Rapid HIV Test Sites

Suncoast Resort

(727) 865-7629

3000 34th Street South, Suite 22
St. Petersburg, FL 33711

Friday—Sunday 1:00pm—9:00pm

Wednesday & Thursday 11:00am—6:00pm

Metropolitan Charities, Inc.

(727) 321-3854

3170 3rd Avenue North
St. Petersburg, FL 33713

Monday—Friday 9:00am—5:00pm

St. Joseph's Pinellas Care Clinic

(727) 321-4846

3554 1st Avenue North
St. Petersburg, FL 33713

Monday— Thursday 8:00am—4:00pm

Routine HIV Test Sites

Dr. Barry Rodwick's Office

(727) 725-9931

3135 State Road 580
Safety Harbor, FL

1st & 3rd Friday 9:30am—11:00am

ASAP

(727) 328-3260

3050 1st Avenue South
St. Petersburg, FL 33712

Friday—Sunday 1:00pm—9:00pm

Wednesday & Thursday 11:00am—6:00pm

Youth Education Services (YES)

USF—All Children's Hospital

(727) 502-8167

777 4th Street South
St. Petersburg, FL 33701

Monday—Saturday

Ages 13—24 ONLY

**Please call to schedule an appointment!*

Florida law requires cases of AIDS to be reported by anyone who diagnoses or treats a person with AIDS, with a \$500 fine per case for failure to report. **NOTE:** A person who tests positive for Human Immunodeficiency Virus (HIV) on or after July 1, 1997 is reportable. Patients who are diagnosed with any of the following conditions are considered reportable per Florida State Law: (1) **Western Blot** positive tests done **after** July 1, 1997, (2) **pediatric or adult** patients with **HIV detectable viral load** tests **on or after** November 20, 2006, (3) Positive results on any **HIV virologic** test **on or after** November 20, 2006, (4) **Pediatric** patients **≤ 18 months** with a **detectable** or **undetectable** viral load test result **on or after** November 20, 2006, (5) **HIV exposed newborns**, (6) HIV positive patients that have **CD4 tests** with values < absolute 200 or < 14%, and/or (7) HIV positive patients with any of the 26 CDC **AIDS defining opportunistic infections**. HIV/AIDS reporting information is treated with the STRICTEST CONFIDENTIALITY. Please call us or send (DO NOT FAX!) your completed HIV/AIDS case report in an envelope marked "CONFIDENTIAL" to:

BETH SUDDUTH, MPH
PINELLAS COUNTY HEALTH DEPARTMENT
205 DR. M.L. KING STREET NORTH
ST PETERSBURG, FL 33701
(727) 824-6903 ; SUNCOM 517-4403
EMAIL: BETH_SUDDUTH@DOH.STATE.FL.US



HIV/AIDS Surveillance Office
Pinellas County Health Department
205 Dr. M.L. King Street North
Disease Control, Room 3-148
St Petersburg, FL 33701