



# HIV/AIDS STATISTICS

## Pinellas and Pasco Counties (Area 5)

Volume 22, Issue 1  
October 5, 2012



### Pinellas County Health Department

205 Dr. M. L. King Street North  
St. Petersburg, FL 33701  
(727) 824-6900  
[www.PinellasHealth.com](http://www.PinellasHealth.com)

#### Director

Claude M. Dharamraj, MD, MPH, FAAP  
[claude\\_dharamraj@doh.state.fl.us](mailto:claude_dharamraj@doh.state.fl.us)

#### Assistant Director Disease Control Division Director

Patricia L. Ryder, MD, MPH  
[pat\\_ryder@doh.state.fl.us](mailto:pat_ryder@doh.state.fl.us)

#### HIV/AIDS Program Coordinator Operations Manager

Lisa E. Cohen  
[lisa\\_cohen@doh.state.fl.us](mailto:lisa_cohen@doh.state.fl.us)

#### HIV/AIDS Contract Manager ADAP Program Manager


Collette Lawson  
[collette\\_lawson@doh.state.fl.us](mailto:collette_lawson@doh.state.fl.us)

#### HIV/AIDS Surveillance Program Manager

Beth M. Sudduth, MPH  
[beth\\_sudduth@doh.state.fl.us](mailto:beth_sudduth@doh.state.fl.us)

#### HIV/AIDS Surveillance Staff:

[Rachel Janssen](#) - HIV/AIDS  
Surveillance Coordinator  
[Floyd Egner](#) - HIV/AIDS  
NIR Coordinator



**To report cases of  
HIV/AIDS/STD or other  
infectious diseases,  
please call:  
(727) 824-6932**

#### Inside this issue:

Pinellas HIV & AIDS Statistics	2
Pasco HIV & AIDS Statistics	3
Hillsborough HIV & AIDS Statistics	4
Florida HIV & AIDS Statistics	5
U.S. HIV & AIDS Statistics	5

## Identifying Risk Factors

At the end of 2011 Pinellas County and Pasco County health care providers had reported 307 HIV and AIDS cases to the HIV/AIDS Surveillance office. Out of the total number of HIV/AIDS cases reported 27 percent (84) of those cases were classified as "NRRs" - or **Non Reported Risks. NRRs are cases where the patient (or provider) does not indicate a clear risk as to how the patient acquired the HIV virus.** In Hillsborough County, across the bay, the total number of NRRs reported were 11 percent - just 45 out of the 401 HIV/AIDS cases reported that year. The discrepancy of NRRs between Area 5 (Pinellas/Pasco) and Area 6 (Hillsborough/Manatee/Hernando) led to a thorough review of 2011 NRR cases in Area 5 by the NIR (Non-Identified Risk) Coordinator.

### What are the Risk Factors for HIV?

**MSM** - Men having Sex with Men

**IDU** - Injection Drug Users

**Hetero** - Heterosexual sex with a person who is known to be infected with HIV or with someone known to be an IDU or MSM

**Other** - less likely risks of needlesticks, transfusion, hemophilia, perinatal, etc.

### What Did We Find?

By June 2012 the 2011 NRRs in Area 5 had decreased to 24 percent (64 cases). Of the remaining NRR cases:

- \* 16 patients refused to cooperate with interviews or denied any risk factors
- \* 12 patients named sexual partners that could not be located for confirmatory HIV testing
- \* 7 patients were unable to be located by the health department
- \* 5 patients refused to name a sexual partner and did not give or know their risk factor
- \* 5 were deceased and a medical record review did not indicate a risk factor
- \* 4 patients had anonymous sexual partners
- \* The remaining 15 NRR cases indicated needlestick injuries, transfusions, rapes, blood-to-blood contact or illegal drug use as possible risk factors. However, these risks are usually no longer accepted as "true" risks by the Centers for Disease Control and Prevention (CDC).


About half of these NRR cases had diagnosis dates prior to 2011 and at least 10 were diagnosed in 2000 or earlier. Several had tested HIV positive in another state. Most either did not know their risk, did not tell their provider about their risk, or it was impossible to test their partners.

(For more information about HIV and risk factors for HIV please check out the CDC's website <http://www.cdc.gov/hiv/resources/brochures/at-risk.htm>)

### What Steps Were Taken in the Review Process?

- ⇒ Cases were checked in PRISM - the STD database system - to determine if a risk could be found
- ⇒ Provider's offices were contacted and requested to review their charts for risks or to ask the patient to complete a "Patient Risk Assessment" form
- ⇒ Medical records were reviewed at hospitals who had seen the NRR patients in 2011 or 2012
- ⇒ Additional databases were searched, including social media sites, for sexual orientation or partner names
- ⇒ Patient interview completed by the NIR Coordinator

### Area 5 HIV/AIDS Risks in 2011



### What Can Health Care Providers Do?

Area 5 has the highest Non Reported Risk factor rate in the state of Florida. In order to bring that percentage down you need to **ask** your patients about their possible risk factors, regardless of how long ago they were diagnosed. Make it a part of your intake of questions. If you are not comfortable asking about sexual history ask your local HIV/AIDS Surveillance office for a Patient History Assessment form that the patient can fill out in your office. Ask open ended questions. Gather details. And if they don't know be sure to ask again. It's important!

## Special Points of Interest

- Please call **(727) 824-6932** if you need HIV/AIDS reporting forms, specific HIV/AIDS statistical information, would like to have a brief HIV/AIDS Surveillance In-Service for your staff or have your HIV/AIDS cases reviewed in your office.

# Pinellas County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to June 30, 2012 HIV data is cumulative from 7/1/97 to June 30, 2012

Risk Exposure	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
MSM*	2752 (69%)	0 (0%)	<b>2752 (57%)</b>	898(71%)	0 (0%)	<b>898 (53%)</b>
Injecting Drug Users (IDU)	434 (11%)	247 (29%)	<b>681 (14%)</b>	82 (7%)	80 (20%)	<b>162 (10%)</b>
MSM & IDU	307 (8%)	0 (0%)	<b>307 (6%)</b>	65 (5%)	0 (0%)	<b>65 (4%)</b>
Heterosexual Contact	286 (7%)	523 (61%)	<b>809 (17%)</b>	101 (8%)	247 (60%)	<b>348 (21%)</b>
Transfusion Recipients	27 (1%)	23 (3%)	<b>50 (1%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Coagulation Disorder	10 (0%)	0 (0%)	<b>10 (0%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Perinatal or Pediatric Risk	5 (0%)	4 (0%)	<b>9 (0%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Risk Not Reported/Other	171 (4%)	65 (7%)	<b>236 (5%)</b>	116 (9%)	81 (20%)	<b>197 (12%)</b>
<b>Total</b>	<b>3992 (82%)</b>	<b>862 (18%)</b>	<b>4854</b>	<b>1264 (76%)</b>	<b>408 (24%)</b>	<b>1672</b>

Risk Exposure	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic/Other	Black	White	Hispanic/Other	Black	White
Mother with HIV	5	11	12	4	5	4
Hemophilia	0	0	2	0	0	0
Transfusion Recipients	0	1	0	0	0	0
Risk Not Reported/Other	1	0	0	0	1	0
<b>Total</b>	<b>6</b>	<b>12</b>	<b>14</b>	<b>4</b>	<b>6</b>	<b>4</b>

Race	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
White	3145 (65%)	14 (44%)	<b>3159 (65%)</b>	941 (56%)	4 (25%)	<b>945 (56%)</b>
Black	1345 (28%)	12 (37%)	<b>1357 (28%)</b>	565 (34%)	6 (42%)	<b>571 (34%)</b>
Hispanic	281 (6%)	4 (13%)	<b>285 (6%)</b>	118 (7%)	3 (25%)	<b>121 (7%)</b>
Native Hawaiian/Pacific Is.	1 (0%)	0 (0%)	<b>1 (0%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Legacy Asian/Pacific Is.	10 (0%)	0 (0%)	<b>10 (0%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Am. Indian/AK. Native	6 (0%)	0 (0%)	<b>6 (0%)</b>	6 (0%)	0 (0%)	<b>6 (0%)</b>
Asian	6 (0%)	0 (0%)	<b>6 (0%)</b>	13 (1%)	0 (0%)	<b>13 (1%)</b>
Multi-Race	60 (1%)	2 (6%)	<b>62 (1%)</b>	28 (2%)	1 (8%)	<b>29 (2%)</b>
<b>Total</b>	<b>4854 (99%)</b>	<b>32 (1%)</b>	<b>4886</b>	<b>1672 (99%)</b>	<b>14 (1%)</b>	<b>1686</b>

Age	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
0-4	21 (0%)	11 (0%)	8 (0%)	0 (0%)
5-12	11 (0%)	5 (0%)	6 (0%)	0 (0%)
13-19	36 (1%)	13 (0%)	63 (4%)	3 (2%)
20-24	185 (4%)	98 (4%)	190 (11%)	10 (7%)
25-29	527 (11%)	313 (11%)	211 (12%)	10 (7%)
30-39	1878 (38%)	1116 (40%)	484 (29%)	29 (21%)
40-49	1461 (30%)	792 (28%)	464 (28%)	48 (36%)
50-59	561 (11%)	310 (11%)	205 (12%)	26 (19%)
60-64	124 (3%)	73 (3%)	32 (2%)	5 (4%)
65-69	50 (1%)	40 (2%)	11 (1%)	2 (2%)
70 +	32 (1%)	27 (1%)	12 (1%)	2 (2%)
<b>Total</b>	<b>4886</b>	<b>2798 (57%)</b>	<b>1686</b>	<b>135 (8%)</b>

\*Men Having Sex with Men (MSM used hereafter)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

# Pasco County HIV/AIDS Statistics\*

AIDS data is cumulative from 1981 to June 30, 2012 HIV data is cumulative from 7/1/97 to June 30, 2012

Table 1.	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
Risk Exposure						
MSM	387 (58%)	*	<b>387 (45%)</b>	155 (63%)	*	<b>155 (46%)</b>
Injecting Drug Users (IDU)	77 (12%)	47 (25%)	<b>124 (15%)</b>	17 (7%)	13 (15%)	<b>30 (9%)</b>
MSM & IDU	68 (10%)	*	<b>68 (8%)</b>	17 (7%)	*	<b>17 (5%)</b>
Heterosexual Contact	73 (11%)	119 (64%)	<b>192 (23%)</b>	22 (9%)	60 (68%)	<b>82 (25%)</b>
Transfusion Recipients	12 (2%)	3 (2%)	<b>15 (2%)</b>	*	*	*
Coagulation Disorder	3 (0%)	*	<b>3 (0%)</b>	*	*	*
Perinatal or Pediatric Risk	*	*	*	*	*	*
Risk Not Reported/Other	46 (7%)	16 (9%)	<b>62 (7%)</b>	35 (14%)	15 (17%)	<b>50 (15%)</b>
<b>Total</b>	<b>666 (78%)</b>	<b>185 (22%)</b>	<b>851</b>	<b>246 (74%)</b>	<b>88 (26%)</b>	<b>334</b>

Table 2.	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic	Black/Other	White	Hispanic	Black/Other	White
Risk Exposure						
Mother with HIV	*	*	*	*	*	*
Hemophilia	*	*	*	*	*	*
Transfusion Recipients	*	*	*	*	*	*
Risk Not Reported	*	*	*	*	*	*
<b>Total</b>	<b>All races = 3</b>			<b>All races = 3</b>		

Table 3.	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
Race						
White	672 (79%)	*	*	237 (71%)	*	*
Black	85 (10%)	*	*	42 (13%)	*	*
Hispanic	80 (10%)	*	*	47 (14%)	*	*
Legacy Asian/Pacific Is.	*	*	*	*	*	*
Am. Indian/AK. Native	*	*	*	*	*	*
Asian	*	*	*	3 (1%)	*	*
Multi-Race/Other	14 (1%)	*	*	5 (1%)	*	*
<b>Total</b>	<b>851 (100%)</b>	<b>3</b>	<b>854</b>	<b>334 (100%)</b>	<b>3</b>	<b>337</b>

Table 4.	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
Age				
0-12	3 (0%)	3 (1%)	3 (1%)	4 (12%)
13-19	7 (1%)		14 (4%)	(ages 0-24)
20-24	31 (4%)	18 (4%)	47 (14%)	
25-29	79 (9%)	42 (9%)	32 (10%)	3 (9%)
30-39	333 (39%)	183 (39%)	91 (27%)	6 (18%)
40-49	253 (30%)	128 (27%)	81 (24%)	13 (38%)
50-59	112 (13%)	60 (13%)	53 (16%)	3 (9%)
60-64	11 (1%)	9 (2%)	8 (2%)	5 (14%)
65 +	25 (3%)	22 (5%)	8 (2%)	(ages 60 +)
<b>Total</b>	<b>854</b>	<b>465 (54%)</b>	<b>337</b>	<b>34 (10%)</b>

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

\*Department of Health (DOH) workers who release aggregate HIV/AIDS data outside the Department must comply with the policy of suppressing all non-zero tabulated cells with <3 cases (i.e., all cells containing only 1 or 2 cases), except for geographical areas with populations of 500,00 or more. All marginal totals shown in table form should routinely be inspected to ensure that values of internal cells expressed as '<3' cannot be exactly determined. Consolidation with other data subgroups may be necessary to avoid such disclosure, except for geographical areas with population of 500,000 or more.

# Hillsborough County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to June 30, 2012 HIV data is cumulative from 7/1/97 to June 30, 2012

Table 1.	AIDS Cases—ADULT			HIV Cases—ADULT		
	Risk Exposure	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)
MSM	3454 (62%)	0 (0%)	<b>3454 (47%)</b>	1343 (66%)	0 (0%)	<b>1343 (47%)</b>
Injecting Drug Users (IDU)	689 (12%)	422 (24%)	<b>1111 (15%)</b>	108 (5%)	96 (12%)	<b>204 (7%)</b>
MSM & IDU	428 (8%)	0 (0%)	<b>428 (6%)</b>	85 (4%)	0 (0%)	<b>85 (3%)</b>
Heterosexual Contact	640 (11%)	1088 (62%)	<b>1728 (23%)</b>	221 (11%)	541 (63%)	<b>762 (26%)</b>
Transfusion Recipients	27 (1%)	21 (1%)	<b>48 (1%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Coagulation Disorder	18 (0%)	1 (0%)	<b>19 (0%)</b>	2 (0%)	0 (0%)	<b>2 (0%)</b>
Perinatal or Pediatric Risk	8 (0%)	18 (1%)	<b>26 (0%)</b>	2 (0%)	2 (0%)	<b>4 (0%)</b>
Risk Not Reported	348 (6%)	201 (12%)	<b>549 (8%)</b>	265 (14%)	207 (25%)	<b>472 (17%)</b>
<b>Total</b>	<b>5612 (76%)</b>	<b>1751 (24%)</b>	<b>7363</b>	<b>2026 (71%)</b>	<b>846 (29%)</b>	<b>2872</b>

Table 2.	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Risk Exposure	Hispanic/Other	Black	White	Hispanic/Other	Black
Mother with HIV	14	45	12	6	24	4
Hemophilia	1	0	2	0	0	0
Transfusion Recipients	0	1	3	0	0	0
Risk Not Reported	0	0	1	0	0	0
<b>Total</b>	<b>15</b>	<b>46</b>	<b>18</b>	<b>6</b>	<b>24</b>	<b>4</b>

Table 3.	AIDS Cases			HIV Cases		
	Race	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)
White	3181 (43%)	18 (23%)	<b>3199 (43%)</b>	1081 (38%)	4 (12%)	<b>1085 (38%)</b>
Black	2881 (39%)	46 (58%)	<b>2927 (39%)</b>	1265 (44%)	24 (70%)	<b>1289 (44%)</b>
Hispanic	1166 (16%)	15 (19%)	<b>1181 (16%)</b>	479 (17%)	6 (18%)	<b>485 (17%)</b>
Legacy Asian/Pacific Is.	8 (0%)	0 (0%)	<b>8 (0%)</b>	2 (0%)	0 (0%)	<b>2 (0%)</b>
Native Hawaiian/ Pacific Is.	0 (0%)	0 (0%)	<b>0 (0%)</b>	2 (0%)	0 (0%)	<b>2 (0%)</b>
Am. Indian/AK. Native	5 (0%)	0 (0%)	<b>5 (0%)</b>	7 (0%)	0 (0%)	<b>7 (0%)</b>
Asian	8 (0%)	0 (0%)	<b>8 (0%)</b>	8 (0%)	0 (0%)	<b>8 (0%)</b>
Multi-Race/Other	114 (2%)	0 (0%)	<b>114 (2%)</b>	28 (1%)	0 (0%)	<b>28 (1%)</b>
<b>Total</b>	<b>7363 (99%)</b>	<b>79 (1%)</b>	<b>7442</b>	<b>2872 (99%)</b>	<b>34 (1%)</b>	<b>2906</b>

Table 4.	AIDS Cases		HIV Cases	
	Age	Cases (%)	Deaths (%)	Cases (%)
0-4	60 (1%)	23 (1%)	25 (1%)	0 (0%)
5-12	19 (0%)	11 (0%)	9 (0%)	0 (0%)
13-19	76 (1%)	20 (1%)	145 (5%)	5 (2%)
20-24	305 (4%)	140 (3%)	382 (13%)	9 (4%)
25-29	958 (13%)	551 (13%)	426 (15%)	20 (9%)
30-39	2830 (38%)	1622 (40%)	832 (29%)	53 (24%)
40-49	2098 (28%)	1082 (26%)	700 (24%)	65 (29%)
50-59	796 (11%)	432 (11%)	285 (10%)	45 (20%)
60-64	162 (2%)	119 (3%)	68 (2%)	12 (5%)
65-69	77 (1%)	56 (1%)	22 (1%)	8 (4%)
70 +	61 (1%)	46 (1%)	12 (0%)	6 (3%)
<b>Total</b>	<b>7442</b>	<b>4102 (55%)</b>	<b>2906</b>	<b>223 (8%)</b>

# Florida HIV/AIDS Statistics

Table 1. HIV/AIDS Case Counts for Florida (HIV: 7/1/97 - 6/30/2012) (including Dept. of Corrections) (AIDS: 1981—6/30/2012)			Table 2. HIV/AIDS Cases Presumed to be Alive in Florida (through 6/30/2012) - including Dept of Corrections		
	HIV	AIDS		HIV	AIDS
ADULT	47,709	123,741	ADULT	44,431	55,500
PEDIATRIC (< 13)	604	1,543	PEDIATRIC (< 13)	204	45
TOTAL	48,313	125,284	TOTAL	44,635	55,545

Table 3. Living HIV/AIDS Case Counts in Surrounding Counties (through 6/30/2012)- excluding Dept. of Corrections			Table 4. Living HIV/AIDS Case Counts in the Top 7 Florida Counties (through 6/30/2012)- excluding Dept. of Corrections		
County	HIV	AIDS	County	HIV	AIDS
Hillsborough	2,683	3,340	Miami-Dade	12,259	13,656
<b>Pinellas</b>	<b>1,551</b>	<b>2,091</b>	Broward	7,892	9,049
Polk	697	1,057	Palm Beach	3,110	4,828
Sarasota	341	509	Orange	3,431	3,718
Manatee	371	506	Hillsborough	2,683	3,340
<b>Pasco</b>	<b>303</b>	<b>389</b>	Duval	2,363	3,130
Highlands	82	105	<b>Pinellas</b>	<b>1,551</b>	<b>2,091</b>
Hernando	94	102	<i>*Source for Tables 1—4: Florida Department of Health Bureau of HIV/AIDS</i>		
Hardee	22	36			

# United States HIV/AIDS Statistics

Table 5. Cumulative HIV/AIDS Case Counts for U.S. and dependent areas				Table 6. Cumulative Number of Cases Living with HIV in Top 5 U.S. States (through 2010)		
	HIV *	AIDS **	% AIDS Deaths (estimated)			
ADULT	805,161	1,153,677	52%	1. New York (06/00)	128,302	15%
PEDIATRIC	2,929	9,898	50%	2. California (4/06)	106,191	12%
TOTAL	808,090	1,163,575	52%	3. <b>Florida (07/97)</b>	<b>94,282</b>	<b>11%</b>
<i>*HIV data includes persons living with HIV through 2009 in 46 states and 5 U.S. dependent areas. **AIDS data includes both living and deceased persons diagnosed with AIDS through 2010.</i>				4. Texas (01/99)	62,363	7%
				5. New Jersey (01/92)	35,527	4%

Table 7. Cumulative AIDS Cases of 20 Leading U.S. Cities/MSAs (through 2010)							
1. New York City	182,011	6. San Francisco	33,479	11. San Juan, PR	23,934	16. San Diego area	14,990
2. Los Angeles area	67,525	7. Philadelphia area	32,920	12. Dallas area	23,804	<b>17. Tampa-St. Pete area</b>	<b>13,238</b>
3. Washington D.C. area	38,576	8. Houston area	30,510	13. Newark	22,505	18. Detroit area	12,133
4. Chicago area	35,606	9. Atlanta area	27,133	14. Ft. Lauderdale	19,655	19. Oakland, Ca.	11,404
5. Miami	33,709	10. Baltimore area	24,215	15. Boston area	16,063	20. West Palm Beach	11,036

Table 8. Cumulative AIDS Cases of 10 Leading U.S. States (through 2010)				World HIV/AIDS Statistics	
1. New York	201,613	6. Illinois	40,113	Estimated new HIV infections in World in 2010: <u>2.7 million</u> (~7400 per day)	
2. California	165,410	7. Pennsylvania	39,540	Estimated living World HIV Cases as of 2010: <u>34 million</u> (22.9 million in sub-Saharan Africa)	
<b>3. Florida</b>	<b>124,363</b>	8. Georgia	39,502	Estimated children (<15 years of age) deaths due to AIDS related illnesses as of 2010: <u>250,000</u> (20% fewer than 2005)	
4. Texas	82,656	9. Maryland	37,467	Estimated World deaths due to AIDS in 2010: <u>1.8 million</u>	
5. New Jersey	56,251	10. Puerto Rico	33,597		
<i>Source for Tables 5—8: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 22</i>				<i>Source: World Health Organization (<a href="http://www.who.org">www.who.org</a>) &amp; Joint United-Nations Programme on HIV/AIDS (<a href="http://www.unaids.org/en/">www.unaids.org/en/</a>)</i>	

### Useful Web Links/Sites for Additional HIV/AIDS Information

Florida HIV/AIDS Statistics:	<a href="http://www.doh.state.fl.us/">http://www.doh.state.fl.us/</a>	Int'l Assoc. of Physicians in AIDS care:	<a href="http://www.japac.org/">http://www.japac.org/</a>
Centers for Disease Control and Prevention:	<a href="http://www.cdc.gov/">http://www.cdc.gov/</a>	Florida AIDS Hotline site:	<a href="http://211bigbend.net/florida-hivaids-hotline.html">http://211bigbend.net/florida-hivaids-hotline.html</a>
World Health Organization:	<a href="http://www.who.int/en/">http://www.who.int/en/</a>	HIV/AIDS InSite Information:	<a href="http://hivinsite.ucsf.edu/">http://hivinsite.ucsf.edu/</a>
Perinatal HIV information (USF):	<a href="http://www.usfcenter.org/Perinatal/">http://www.usfcenter.org/Perinatal/</a>	HIV/AIDS Info/Treatment Site:	<a href="http://www.aidsinfo.nih.gov/">http://www.aidsinfo.nih.gov/</a>