



# HIV/AIDS STATISTICS

## Pinellas and Pasco Counties (Area 5)

Volume 25, Issue 1

July 1, 2015



### Florida Department of Health in Pinellas County

205 Dr. Martin Luther King Jr. St N  
St. Petersburg, FL 33701  
(727) 824-6900  
[www.pinellas.floridahealth.gov](http://www.pinellas.floridahealth.gov)

#### Director

Claude M. Dharamraj, MD, MPH, FAAP  
[claude.dharamraj@flhealth.gov](mailto:claude.dharamraj@flhealth.gov)

#### Division of Disease Control and Health Protection, Director

Gayle A. Guidash, MPH, REHS  
[gayle.guidash@flhealth.gov](mailto:gayle.guidash@flhealth.gov)

#### HIV/AIDS Program Coordinator

Shelley L. Taylor-Donahue, MPH  
[shelley.taylordonahue@flhealth.gov](mailto:shelley.taylordonahue@flhealth.gov)

#### HIV/AIDS Grants Manager

Demarcus A. Holden  
[demarcus.holden@flhealth.gov](mailto:demarcus.holden@flhealth.gov)

#### HIV/AIDS Surveillance Program Manager

Beth M. Sudduth, MPH  
[beth.sudduth@flhealth.gov](mailto:beth.sudduth@flhealth.gov)

#### HIV/AIDS Surveillance Staff:

**Kayla Burgess, MPH** - HIV/AIDS Surveillance Coordinator

**Fatima Conteh, BS** - HIV/AIDS NIR Coordinator

**Christian Spears, MSW, MPH** - HIV Perinatal Surveillance Specialist

**David Jewett** - USF Student Summer Intern

### Know Your HIV Status?

To find HIV Test Centers near you:

Text: Your Zip Code  
To: KnowIt or 566948

[www.hivtest.org](http://www.hivtest.org)

**To report cases of HIV/AIDS or an HIV exposed baby please call: (727) 824-6903**


#### Inside this issue:

|                                    |   |
|------------------------------------|---|
| Pinellas HIV & AIDS Statistics     | 2 |
| Pasco HIV & AIDS Statistics        | 3 |
| Hillsborough HIV & AIDS Statistics | 4 |
| Florida HIV & AIDS Statistics      | 5 |
| U.S. HIV & AIDS Statistics         | 5 |


### Local HIV/AIDS “Stats at a Glance” in the IDU Community

A recent HIV outbreak in Scott County, Indiana displayed the importance of monitoring injection drug use (IDU) and its impact on the spread of HIV. The southeastern Indiana county had 166 confirmed cases in just six months related to injection drug use. Risk factors cited included rampant poverty and lack of health care access due to the rural nature of the setting. The city of Austin, with a population of nearly 4,200 and 72 of the 166 cases<sup>1</sup>, now had, according to CDC Director Tom Frieden “a higher incidence of HIV than any country in Sub-Saharan Africa.”<sup>2</sup> To curb this growth, a needle exchange program was implemented to exchange used needles for sterile new ones. This tactic is an idea familiar to Florida. Lawmakers have floated the idea for years with questions as to its need.

Adult Male HIV Infection Cases, by Mode of Exposure and Year of Report, 2005–2014, Partnership 5



Adult Female HIV Infection Cases by Exposure Category and Year of Report, 2005-2014, Partnership 5



confirmed cases in just six months related to injection drug use. Risk factors cited included rampant poverty and lack of health care access due to the rural nature of the setting. The city of Austin, with a population of nearly 4,200 and 72 of the 166 cases<sup>1</sup>, now had, according to CDC Director Tom Frieden “a higher incidence of HIV than any country in Sub-Saharan Africa.”<sup>2</sup> To curb this growth, a needle exchange program was implemented to exchange used needles for sterile new ones. This tactic is an idea familiar to Florida. Lawmakers have floated the idea for years with questions as to its need.

The reports from Indiana left many wondering if this was an isolated incident or if the same trends could be seen across the country. For our local two counties the graphs displayed to the left refer to the number of cases of HIV for males and females respectively in Partnership 5 (Pinellas and Pasco Counties).<sup>3</sup> As can be seen, IDU cases have actually been falling steadily for the past decade in our area. Far and away the leading cause of HIV infection continues to be men having sex with men (MSM) for men and heterosexual intercourse for women.

The years 2006 and 2014 saw changes in reporting laws which led to an increase in reportable cases. As such, the spikes seen in the graphs around those years do not necessarily refer to an increase in case volume but rather, at times, the documentation of pre-existing HIV cases previously not reportable. In Pinellas and Pasco Counties, IDU accounted for 33 of the total 332 HIV infections (this includes persons participating in both MSM and IDU where exposure is unsure) reported in all of 2014.<sup>5</sup> The 2014 HIV infection data gathered indicates HIV from IDU is primarily affecting the white community, 17 males and 8 females, which accounts for 76% of the IDU cases. The remaining 8 IDU cases included 3 African American males, 2 African American females, 2 Hispanic males and 1 Hispanic female.

In comparing 166 IDU cases in Scott County’s estimated adult population of 18,395 to 33 IDU cases in a two county estimate adult population of 1,118,459 in Pinellas and Pasco counties we can see the great struggle occurring in Scott Co., Indiana and the much smaller rate of IDU cases in Pinellas and Pasco counties. Within Florida, we can compare Partnership 5 with Partnership 11a (Miami-Dade County)<sup>5</sup>. With a total estimated adult population of 1,976,451 persons in Miami-Dade County, IDU contributed 3% of all adult male HIV cases and 6% of all adult female HIV cases of the 1,407 total adult HIV cases newly reported in 2014. By incidence rate alone Scott County Indiana blows both Florida counties away. Scott County had 9.024 cases per 1,000 population<sup>1&4</sup>, over 300 times greater than Partnership 5 which had just 0.030 cases per 1,000 and Partnership 11a had 0.024 cases per 1,000 for IDU and MSM/IDU combined in all of 2014.<sup>5</sup> During the same time period as the Scott County outbreak, Partnership 5 had an adult HIV infection case incidence rate of 0.297 per 1,000 for all causes/risks of HIV.<sup>5</sup> Quite conclusively this shows our area is not having the same issues documented in Indiana, but the debate over needle exchange programs will linger as the case is made to try to stop the spread of HIV.

#### Check out these sourced links for further information obtained for this article

- [1\) http://www.nbcnews.com/health/health-news/indiana-hiv-epidemic-n330206](http://www.nbcnews.com/health/health-news/indiana-hiv-epidemic-n330206)
- [2\) http://www.usatoday.com/story/news/nation/2015/05/13/indiana-hiv-outbreak-a-warning-to-rural-america/27182089/](http://www.usatoday.com/story/news/nation/2015/05/13/indiana-hiv-outbreak-a-warning-to-rural-america/27182089/)
- [3\) http://www.floridahealth.gov/diseases-and-conditions/aids/surveillance/partnership-slides-sets1.html](http://www.floridahealth.gov/diseases-and-conditions/aids/surveillance/partnership-slides-sets1.html)
- [4\) https://suburbanstats.org/population/indiana/how-many-people-live-in-scott-county](https://suburbanstats.org/population/indiana/how-many-people-live-in-scott-county)
- [5\) http://www.floridahealth.gov/diseases-and-conditions/aids/surveillance/epi-profiles/index.html](http://www.floridahealth.gov/diseases-and-conditions/aids/surveillance/epi-profiles/index.html)



# Pinellas County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to March 31, 2015

HIV data is cumulative from 7/1/97 to March 31, 2015

| Risk Exposure               | AIDS Cases—ADULT  |                  |                   | HIV Cases—ADULT   |                  |                   |
|-----------------------------|-------------------|------------------|-------------------|-------------------|------------------|-------------------|
|                             | Males (%)         | Females (%)      | Total (%)         | Males (%)         | Females (%)      | Total (%)         |
| MSM*                        | 2924 (69%)        | 0 (0%)           | <b>2924 (56%)</b> | 1056 (74%)        | 0 (0%)           | <b>1056 (56%)</b> |
| Injecting Drug Users (IDU)  | 449 (10%)         | 263 (28%)        | <b>712 (14%)</b>  | 75 (5%)           | 83 (19%)         | <b>158 (8%)</b>   |
| MSM & IDU                   | 327 (8%)          | 0 (0%)           | <b>327 (6%)</b>   | 86 (6%)           | 0 (0%)           | <b>86 (5%)</b>    |
| Heterosexual Contact        | 339 (8%)          | 569 (61%)        | <b>908 (18%)</b>  | 98 (7%)           | 292 (65%)        | <b>390 (21%)</b>  |
| Transfusion Recipients      | 27 (1%)           | 23 (2%)          | <b>50 (1%)</b>    | 1 (0%)            | 0 (0%)           | <b>1 (0%)</b>     |
| Coagulation Disorder        | 10 (0%)           | 0 (0%)           | <b>10 (0%)</b>    | 0 (0%)            | 0 (0%)           | <b>0 (0%)</b>     |
| Perinatal or Pediatric Risk | 7 (0%)            | 5 (1%)           | <b>12 (0%)</b>    | 1 (0%)            | 0 (0%)           | <b>1 (0%)</b>     |
| Risk Not Reported/Other     | 178 (4%)          | 76 (8%)          | <b>254 (5%)</b>   | 115 (8%)          | 72 (16%)         | <b>187 (10%)</b>  |
| <b>Total</b>                | <b>4261 (82%)</b> | <b>936 (18%)</b> | <b>5197</b>       | <b>1432 (76%)</b> | <b>447 (24%)</b> | <b>1879</b>       |

| Risk Exposure           | AIDS Cases—PEDIATRIC |           |           | HIV Cases—PEDIATRIC |          |          |
|-------------------------|----------------------|-----------|-----------|---------------------|----------|----------|
|                         | Hispanic/Other       | Black     | White     | Hispanic/Other      | Black    | White    |
| Mother with HIV         | 5                    | 12        | 12        | 5                   | 5        | 5        |
| Hemophilia              | 0                    | 0         | 2         | 0                   | 0        | 0        |
| Transfusion Recipients  | 0                    | 1         | 0         | 0                   | 0        | 0        |
| Risk Not Reported/Other | 1                    | 0         | 0         | 0                   | 1        | 0        |
| <b>Total</b>            | <b>6</b>             | <b>13</b> | <b>14</b> | <b>5</b>            | <b>6</b> | <b>5</b> |

| Race                        | AIDS Cases        |                |                   | HIV Cases         |                |                   |
|-----------------------------|-------------------|----------------|-------------------|-------------------|----------------|-------------------|
|                             | Adults (%)        | Pediatric (%)  | Total (%)         | Adults (%)        | Pediatric (%)  | Total (%)         |
| White                       | 3308 (64%)        | 14 (43%)       | <b>3322 (64%)</b> | 1049 (56%)        | 5 (31%)        | <b>1054 (56%)</b> |
| Black                       | 1472 (28%)        | 13 (39%)       | <b>1485 (28%)</b> | 627 (34%)         | 6 (38%)        | <b>633 (33%)</b>  |
| Hispanic                    | 317 (6%)          | 4 (12%)        | <b>321 (6%)</b>   | 157 (8%)          | 4 (25%)        | <b>161 (9%)</b>   |
| Native Hawaiian/Pacific Is. | 1 (0%)            | 0 (0%)         | <b>1 (0%)</b>     | 0 (0%)            | 0 (0%)         | <b>0 (0%)</b>     |
| Legacy Asian/Pacific Is.    | 10 (0%)           | 0 (0%)         | <b>10 (0%)</b>    | 1 (0%)            | 0 (0%)         | <b>1 (0%)</b>     |
| Am. Indian/AK. Native       | 6 (0%)            | 0 (0%)         | <b>6 (0%)</b>     | 3 (0%)            | 0 (0%)         | <b>3 (0%)</b>     |
| Asian                       | 9 (0%)            | 0 (0%)         | <b>9 (0%)</b>     | 17 (1%)           | 0 (0%)         | <b>17 (1%)</b>    |
| Multi-Race                  | 74 (2%)           | 2 (6%)         | <b>76 (2%)</b>    | 25 (1%)           | 1 (6%)         | <b>26 (1%)</b>    |
| <b>Total</b>                | <b>5197 (99%)</b> | <b>33 (1%)</b> | <b>5230</b>       | <b>1879 (99%)</b> | <b>16 (1%)</b> | <b>1895</b>       |

| Age          | AIDS Cases  |                   | HIV Cases   |                 |
|--------------|-------------|-------------------|-------------|-----------------|
|              | Cases (%)   | Deaths (%)        | Cases (%)   | Deaths (%)      |
| 0-4          | 23 (0%)     | 11 (0%)           | 9 (0%)      | 0 (0%)          |
| 5-12         | 10 (0%)     | 5 (0%)            | 7 (0%)      | 0 (0%)          |
| 13-19        | 37 (1%)     | 13 (0%)           | 71 (4%)     | 3 (2%)          |
| 20-24        | 193 (4%)    | 104 (4%)          | 227 (12%)   | 11 (6%)         |
| 25-29        | 560 (11%)   | 330 (11%)         | 249 (13%)   | 11 (6%)         |
| 30-39        | 1953 (37%)  | 1156 (39%)        | 528 (28%)   | 44 (25%)        |
| 40-49        | 1564 (30%)  | 852 (29%)         | 483 (26%)   | 59 (33%)        |
| 50-59        | 651 (12%)   | 354 (12%)         | 249 (13%)   | 34 (19%)        |
| 60-64        | 142 (3%)    | 82 (3%)           | 44 (2%)     | 7 (4%)          |
| 65-69        | 60 (1%)     | 44 (1%)           | 14 (1%)     | 2 (1%)          |
| 70 +         | 37 (1%)     | 30 (1%)           | 14 (1%)     | 6 (4%)          |
| <b>Total</b> | <b>5230</b> | <b>2981 (57%)</b> | <b>1895</b> | <b>177 (9%)</b> |

\*Men Having Sex with Men (MSM used hereafter)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

# Pasco County HIV/AIDS Statistics\*

AIDS data is cumulative from 1981 to March 31, 2015

HIV data is cumulative from 7/1/97 to March 31, 2015

| Table 1.                    | AIDS Cases—ADULT |                  |                  | HIV Cases—ADULT  |                  |                  |
|-----------------------------|------------------|------------------|------------------|------------------|------------------|------------------|
|                             | Risk Exposure    | Males (%)        | Females (%)      | Total (%)        | Males (%)        | Females (%)      |
| MSM                         | 425 (58%)        | *                | <b>425 (45%)</b> | 177 (66%)        | *                | <b>177 (48%)</b> |
| Injecting Drug Users (IDU)  | 78 (11%)         | 52 (25%)         | <b>130 (14%)</b> | 16 (6%)          | 15 (15%)         | <b>31 (8%)</b>   |
| MSM & IDU                   | 73 (10%)         | *                | <b>73 (8%)</b>   | 20 (8%)          | *                | <b>20 (6%)</b>   |
| Heterosexual Contact        | 82 (11%)         | 134 (65%)        | <b>216 (23%)</b> | 25 (9%)          | 72 (71%)         | <b>97 (26%)</b>  |
| Transfusion Recipients      | 12 (2%)          | 3 (2%)           | <b>15 (2%)</b>   | *                | *                | *                |
| Coagulation Disorder        | 3 (0%)           | *                | <b>3 (0%)</b>    | *                | *                | *                |
| Perinatal or Pediatric Risk | *                | *                | *                | *                | *                | *                |
| Risk Not Reported/Other     | 59 (8%)          | 17 (8%)          | <b>76 (8%)</b>   | 29 (11%)         | 14 (14%)         | <b>43 (12%)</b>  |
| <b>Total</b>                | <b>732 (78%)</b> | <b>206 (22%)</b> | <b>938</b>       | <b>267 (73%)</b> | <b>101 (27%)</b> | <b>368</b>       |

| Table 2.               | AIDS Cases—PEDIATRIC |          |             | HIV Cases—PEDIATRIC  |          |             |
|------------------------|----------------------|----------|-------------|----------------------|----------|-------------|
|                        | Risk Exposure        | Hispanic | Black/Other | White                | Hispanic | Black/Other |
| Mother with HIV        | *                    | *        | *           | *                    | *        | *           |
| Hemophilia             | *                    | *        | *           | *                    | *        | *           |
| Transfusion Recipients | *                    | *        | *           | *                    | *        | *           |
| Risk Not Reported      | *                    | *        | *           | *                    | *        | *           |
| <b>Total</b>           | <b>All races = 3</b> |          |             | <b>All races = 1</b> |          |             |

| Table 3.                 | AIDS Cases        |               |               | HIV Cases         |               |               |
|--------------------------|-------------------|---------------|---------------|-------------------|---------------|---------------|
|                          | Race              | Adults (%)    | Pediatric (%) | Total (%)         | Adults (%)    | Pediatric (%) |
| White                    | 734 (78%)         | *             | *             | 254 (69%)         | *             | *             |
| Black                    | 99 (11%)          | *             | *             | 50 (14%)          | *             | *             |
| Hispanic                 | 90 (10%)          | *             | *             | 54 (15%)          | *             | *             |
| Legacy Asian/Pacific Is. | *                 | *             | *             | *                 | *             | *             |
| Am. Indian/AK. Native    | *                 | *             | *             | *                 | *             | *             |
| Asian                    | *                 | *             | *             | 5 (1%)            | *             | *             |
| Multi-Race/Other         | 15 (1%)           | *             | *             | 5 (1%)            | *             | *             |
| <b>Total</b>             | <b>938 (100%)</b> | <b>3 (0%)</b> | <b>941</b>    | <b>368 (100%)</b> | <b>1 (0%)</b> | <b>369</b>    |

| Table 4.     | AIDS Cases |                  | HIV Cases   |                 |
|--------------|------------|------------------|-------------|-----------------|
|              | Age        | Cases (%)        | Deaths (%)  | Cases (%)       |
| 0-12         | 3 (0%)     | 4 (1%)           | 14 (4%)     | 5 (13%)         |
| 13-19        | 7 (1%)     | (ages 0-19)      | (ages 0-19) | (ages 0-24)     |
| 20-24        | 37 (4%)    | 18 (4%)          | 52 (14%)    |                 |
| 25-29        | 86 (9%)    | 45 (9%)          | 39 (10%)    | 3 (8%)          |
| 30-39        | 354 (38%)  | 193 (39%)        | 106 (29%)   | 8 (20%)         |
| 40-49        | 275 (29%)  | 132 (26%)        | 84 (23%)    | 13 (33%)        |
| 50-59        | 130 (14%)  | 72 (14%)         | 51 (14%)    | 5 (13%)         |
| 60-64        | 17 (2%)    | 10 (2%)          | 10 (3%)     | 5 (13%)         |
| 65-69        | 19 (2%)    | 15 (3%)          | 8 (2%)      | (ages 60 +)     |
| 70+          | 13 (1%)    | 9 (2%)           | 5 (1%)      |                 |
| <b>Total</b> | <b>941</b> | <b>498 (53%)</b> | <b>369</b>  | <b>39 (11%)</b> |

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

\*Department of Health (DOH) workers who release aggregate HIV/AIDS data outside the Department must comply with the policy of suppressing all non-zero tabulated cells with <3 cases (i.e., all cells containing only 1 or 2 cases), except for geographical areas with populations of 500,00 or more. All marginal totals shown in table form should routinely be inspected to ensure that values of internal cells expressed as '<3' cannot be exactly determined. Consolidation with other

# Hillsborough County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to March 31, 2015

HIV data is cumulative from 7/1/97 to March 31, 2015

| Risk Exposure               | AIDS Cases—ADULT  |                  |                   | HIV Cases—ADULT   |                  |                   |
|-----------------------------|-------------------|------------------|-------------------|-------------------|------------------|-------------------|
|                             | Males (%)         | Females (%)      | Total (%)         | Males (%)         | Females (%)      | Total (%)         |
| MSM                         | 3717 (62%)        | 0 (0%)           | <b>3717 (47%)</b> | 1671 (70%)        | 0 (0%)           | <b>1671 (51%)</b> |
| Injecting Drug Users (IDU)  | 736 (12%)         | 452 (24%)        | <b>1188 (15%)</b> | 127(5%)           | 112 (12%)        | <b>239 (7%)</b>   |
| MSM & IDU                   | 462 (8%)          | 0 (0%)           | <b>462 (6%)</b>   | 103 (4%)          | 0 (0%)           | <b>103 (3%)</b>   |
| Heterosexual Contact        | 716 (12%)         | 1199 (63%)       | <b>1915 (24%)</b> | 227 (10%)         | 572 (63%)        | <b>799 (24%)</b>  |
| Transfusion Recipients      | 27 (0%)           | 21 (1%)          | <b>48 (1%)</b>    | 0 (0%)            | 0 (0%)           | <b>0 (0%)</b>     |
| Coagulation Disorder        | 18 (0%)           | 1 (0%)           | <b>19 (0%)</b>    | 2 (0%)            | 0 (0%)           | <b>2 (0%)</b>     |
| Perinatal or Pediatric Risk | 10 (0%)           | 24 (1%)          | <b>34 (0%)</b>    | 2 (0%)            | 2 (0%)           | <b>4 (0%)</b>     |
| Risk Not Reported           | 327 (6%)          | 202 (11%)        | <b>529 (7%)</b>   | 266 (11%)         | 226 (25%)        | <b>492 (15%)</b>  |
| <b>Total</b>                | <b>6013 (76%)</b> | <b>1899(24%)</b> | <b>7912</b>       | <b>2398 (72%)</b> | <b>912 (28%)</b> | <b>3310</b>       |

| Risk Exposure          | AIDS Cases—PEDIATRIC |           |           | HIV Cases—PEDIATRIC |           |          |
|------------------------|----------------------|-----------|-----------|---------------------|-----------|----------|
|                        | Hispanic/Other       | Black     | White     | Hispanic/Other      | Black     | White    |
| Mother with HIV        | 12                   | 45        | 13        | 8                   | 18        | 2        |
| Hemophilia             | 1                    | 0         | 2         | 0                   | 0         | 0        |
| Transfusion Recipients | 0                    | 1         | 3         | 0                   | 0         | 0        |
| Risk Not Reported      | 0                    | 0         | 1         | 0                   | 0         | 0        |
| <b>Total</b>           | <b>13</b>            | <b>46</b> | <b>19</b> | <b>8</b>            | <b>18</b> | <b>2</b> |

| Race                         | AIDS Cases        |                |                   | HIV Cases         |                |                   |
|------------------------------|-------------------|----------------|-------------------|-------------------|----------------|-------------------|
|                              | Adults (%)        | Pediatric (%)  | Total (%)         | Adults (%)        | Pediatric (%)  | Total (%)         |
| White                        | 3319 (42%)        | 19 (24%)       | <b>3338 (42%)</b> | 1216 (37%)        | 2 (7%)         | <b>1218 (37%)</b> |
| Black                        | 3149 (40%)        | 46 (59%)       | <b>3195 (40%)</b> | 1414 (43%)        | 18 (64%)       | <b>1432 (43%)</b> |
| Hispanic                     | 1282 (16%)        | 13 (17%)       | <b>1295 (16%)</b> | 617 (19%)         | 7 (25%)        | <b>624 (19%)</b>  |
| Legacy Asian/Pacific Is.     | 8 (0%)            | 0 (0%)         | <b>8 (0%)</b>     | 2 (0%)            | 0 (0%)         | <b>2 (0%)</b>     |
| Native Hawaiian/ Pacific Is. | 1 (0%)            | 0 (0%)         | <b>1 (0%)</b>     | 3 (0%)            | 0 (0%)         | <b>3 (0%)</b>     |
| Am. Indian/AK. Native        | 4 (0%)            | 0 (0%)         | <b>4 (0%)</b>     | 7 (0%)            | 0 (0%)         | <b>7 (0%)</b>     |
| Asian                        | 14 (0%)           | 0 (0%)         | <b>14 (0%)</b>    | 15 (0%)           | 1 (4%)         | <b>16 (0%)</b>    |
| Multi-Race/Other             | 135 (2%)          | 0 (0%)         | <b>135 (2%)</b>   | 36 (1%)           | 0 (0%)         | <b>36 (1%)</b>    |
| <b>Total</b>                 | <b>7912 (99%)</b> | <b>78 (1%)</b> | <b>7990</b>       | <b>3310 (99%)</b> | <b>28 (1%)</b> | <b>3338</b>       |

| Age          | AIDS Cases  |                   | HIV Cases   |                 |
|--------------|-------------|-------------------|-------------|-----------------|
|              | Cases (%)   | Deaths (%)        | Cases (%)   | Deaths (%)      |
| 0-4          | 57 (1%)     | 23 (1%)           | 21 (1%)     | 0 (0%)          |
| 5-12         | 21 (0%)     | 11 (0%)           | 7 (0%)      | 0 (0%)          |
| 13-19        | 82 (1%)     | 22 (1%)           | 155 (5%)    | 6 (2%)          |
| 20-24        | 342 (4%)    | 147 (3%)          | 463 (14%)   | 10 (4%)         |
| 25-29        | 1039 (13%)  | 568 (13%)         | 501 (15%)   | 26 (9%)         |
| 30-39        | 2947 (37%)  | 1682 (39%)        | 904 (27%)   | 63 (23%)        |
| 40-49        | 2239 (28%)  | 1152 (27%)        | 803 (24%)   | 82 (29%)        |
| 50-59        | 913 (11%)   | 486 (11%)         | 358 (11%)   | 57 (20%)        |
| 60-64        | 195 (3%)    | 139 (3%)          | 84 (2%)     | 20 (7%)         |
| 65-69        | 86 (1%)     | 62 (1%)           | 26 (1%)     | 8 (3%)          |
| 70 +         | 69 (1%)     | 54 (1%)           | 16 (0%)     | 9 (3%)          |
| <b>Total</b> | <b>7990</b> | <b>4346 (54%)</b> | <b>3338</b> | <b>281 (8%)</b> |

# Florida HIV/AIDS Statistics

| Table 1. HIV/AIDS Case Counts for Florida (HIV: 7/1/97 - 3/2015)<br>(including Dept. of Corrections) (AIDS: 1981—3/2015) |        |         | Table 2. HIV/AIDS Cases Presumed to be Alive in Florida<br>(through 3/2015) - including Dept. of Corrections |        |        |
|--|--------|---------|--|--------|--------|
|  | HIV    | AIDS    |  | HIV    | AIDS   |
| ADULT  | 53,700 | 131,209 | ADULT  | 49,387 | 58,613 |
| PEDIATRIC (< 13)   | 485    | 1,527   | PEDIATRIC (< 13)   | 115    | 28     |
| TOTAL  | 54,185 | 132,736 | TOTAL  | 49,502 | 58,641 |

| Table 3. Living HIV/AIDS Case Counts in Surrounding Counties<br>(through 3/2015)- excluding Dept. of Corrections |              |              | Table 4. Living HIV/AIDS Case Counts in the Top 7 Florida Counties<br>(through 3/2015)- excluding Dept. of Corrections |              |              |
|--|--------------|--------------|--|--------------|--------------|
| County   | HIV          | AIDS         | County   | HIV          | AIDS         |
| Hillsborough   | 3,057        | 3,644        | Miami-Dade   | 13,654       | 14,163       |
| <b>Pinellas</b>  | <b>1,718</b> | <b>2,249</b> | Broward  | 8,772        | 9,459        |
| Polk   | 765          | 1,128        | Palm Beach   | 3,349        | 4,989        |
| Manatee  | 419          | 537          | Orange   | 3,975        | 4,154        |
| Sarasota   | 377          | 535          | Hillsborough   | 3,057        | 3,644        |
| <b>Pasco</b>   | <b>330</b>   | <b>443</b>   | Duval  | 2,614        | 3,339        |
| Hernando   | 106          | 113          | <b>Pinellas</b>  | <b>1,718</b> | <b>2,249</b> |
| Highlands  | 78           | 106          | <i>*Source for Tables 1—4: Florida Department of Health<br/>Bureau of HIV/AIDS</i>                                     |              |              |
| Hardee   | 17           | 42           |  |              |              |

# United States HIV/AIDS Statistics

| Table 5. Cumulative HIV/AIDS Case Counts for U.S. and dependent areas  |         |           |                           | Table 6. Cumulative Number of Adult Cases Living with HIV in Top 5 U.S. States (through 2011) |               |            |
|--|---------|-----------|---------------------------|---|---------------|------------|
|  | HIV *   | AIDS **   | % AIDS Deaths (estimated) |   |               |            |
| ADULT  | 901,855 | 1,181,282 | 53%                       | 1. New York (06/00)   | 128,191       | 15%        |
| PEDIATRIC  | 2,612   | 9,779     | 50%                       | 2. California (4/06)  | 112,751       | 13%        |
| TOTAL  | 904,467 | 1,191,061 | 53%                       | <b>3. Florida (07/97)</b>   | <b>96,614</b> | <b>11%</b> |
| *HIV data includes persons living with HIV through 2011 in 50 states and 6 U.S. dependent areas. **AIDS data includes both living and deceased persons diagnosed with AIDS through 2012. |         |           |                           | 4. Texas (01/99)  | 67,849        | 8%         |
|  |         |           |                           | 5. Georgia  | 37,137        | 4%         |

| Table 7. Cumulative AIDS Cases of 20 Leading U.S. Cities/MSAs (through 2012) |         |                      |        |                    |        |                                |               |
|--|---------|----------------------|--------|--------------------|--------|--------------------------------|---------------|
| 1. New York City   | 193,355 | 6. Philadelphia area | 34,365 | 11. Baltimore area | 25,080 | 16. San Diego area             | 15,243        |
| 2. Los Angeles area  | 69,641  | 7. Houston area      | 32,772 | 12. San Juan, PR   | 24,428 | <b>17. Tampa-St. Pete area</b> | <b>13,897</b> |
| 3. Washington D.C. area  | 39,001  | 8. San Francisco     | 32,116 | 13. Newark         | 24,087 | 18. Detroit area               | 12,801        |
| 4. Chicago area  | 37,014  | 9. Atlanta area      | 31,997 | 14. Ft. Lauderdale | 20,567 | 19. Oakland, Ca.               | 11,725        |
| 5. Miami   | 35,284  | 10. Dallas area      | 25,578 | 15. Boston area    | 17,025 | 20. West Palm Beach            | 11,571        |

| Table 8. Cumulative AIDS Cases of 10 Leading U.S. States & Dependent Areas (through 2012)                |                |                 |        | World HIV/AIDS Statistics  |  |
|--|----------------|-----------------|--------|--|--|
| 1. New York  | 201,979        | 6. Georgia      | 46,428 | Estimated new HIV infections in World in 2013: <b>2.1 million</b> (cumulative: 78 million)   |  |
| 2. California  | 169,229        | 7. Illinois     | 41,359 | Estimated living World HIV Cases as of 2013: <b>35 million</b> (24.7 million in sub-Saharan Africa; 1.3 million in the U.S.)   |  |
| <b>3. Florida</b>  | <b>128,845</b> | 8. Pennsylvania | 40,921 | Estimated children (<15 years of age) newly infected with HIV in 2013: <b>240,000</b> (3.2 million children are living with HIV)   |  |
| 4. Texas   | 88,662         | 9. Maryland     | 38,242 | Estimated World deaths due to AIDS in 2013: <b>1.5 million</b> (cumulative: 39 million)  |  |
| 5. New Jersey  | 57,354         | 10. Puerto Rico | 34,191 |  |  |
| Source for Tables 5—8: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 24 |                |                 |        | Source: World Health Organization ( <a href="http://www.who.org">www.who.org</a> ) & Joint United-Nations Programme on HIV/AIDS ( <a href="http://www.unaids.org/en/">www.unaids.org/en/</a> ) |  |

### Useful Web Links/Sites for Additional HIV/AIDS Information

|   |   |  |   |
|---|---|--|---|
| Florida HIV/AIDS Statistics:                | <a href="http://www.floridahealth.gov/">http://www.floridahealth.gov/</a>                   | Int'l Assoc. of Physicians in AIDS care: | <a href="http://www.japac.org/">http://www.japac.org/</a>   |
| Centers for Disease Control and Prevention: | <a href="http://www.cdc.gov/hiv/">http://www.cdc.gov/hiv/</a>                               | Florida AIDS Hotline site:               | <a href="http://211bigbend.net/florida-hivaids-hotline.html">http://211bigbend.net/florida-hivaids-hotline.html</a> |
| World Health Organization:                  | <a href="http://www.who.int/topics/hiv_aids/en/">http://www.who.int/topics/hiv_aids/en/</a> | U.S. HIV/AIDS official website:          | <a href="http://www.aids.gov/">http://www.aids.gov/</a>   |
| Perinatal HIV information (USF):            | <a href="http://www.usfcenter.org/Perinatal/">http://www.usfcenter.org/Perinatal/</a>       | HIV/AIDS Info/Treatment Site:            | <a href="http://www.aidsinfo.nih.gov/">http://www.aidsinfo.nih.gov/</a>   |