



# HIV/AIDS STATISTICS

## Pinellas and Pasco Counties (Area 5)

Volume 25, Issue 3  
February 20, 2017



### Florida Department of Health in Pinellas County

205 Dr. Martin Luther King Jr. St N  
St. Petersburg, FL 33701  
(727) 824-6900  
[www.pinellas.floridahealth.gov](http://www.pinellas.floridahealth.gov)

#### Director

Ulyee Choe, DO  
[ulyee.choe@flhealth.gov](mailto:ulyee.choe@flhealth.gov)

#### Assistant Director & Division of Disease Control and Health Protection, Director

Gayle A. Guidash, MPH, REHS  
[gayle.guidash@flhealth.gov](mailto:gayle.guidash@flhealth.gov)

#### HIV/AIDS Program Coordinator

Demarcus A. Holden  
[demarcus.holden@flhealth.gov](mailto:demarcus.holden@flhealth.gov)

#### HIV/AIDS Grants Manager

Floyd E. Egner, FCCM  
[floyd.egner@flhealth.gov](mailto:floyd.egner@flhealth.gov)

#### HIV/AIDS Surveillance Program Manager

Beth M. Sudduth, MPH  
[beth.sudduth@flhealth.gov](mailto:beth.sudduth@flhealth.gov)

#### HIV/AIDS Surveillance Staff:

**Angella Hanciles-Amu**  
HIV/AIDS Surveillance Coordinator  
**Lynnette Swain** - HIV/AIDS  
NIR Coordinator  
**Volunteer:**  
Nicole Clenney

#### HIV Linkage Program Coordinator

Dante S. Ross  
[dante.ross@flhealth.gov](mailto:dante.ross@flhealth.gov)




**To report cases of HIV/AIDS or an HIV exposed baby please call: (727) 824-6903**

#### Inside this issue:

Pinellas HIV & AIDS Statistics	2
Pasco HIV & AIDS Statistics	3
Hillsborough HIV & AIDS Statistics	4
Florida HIV & AIDS Statistics	5
U.S. HIV & AIDS Statistics	5


## HIV/AIDS Among Persons Aged 50 or Older

When discussing the impact HIV/AIDS has throughout various age groups, those aged 50 or older are often overlooked. According to the Centers for Disease Control and Prevention (CDC), people aged 50 and over accounted for 17% of HIV diagnoses in the United States in 2014.<sup>1</sup> Though many think this group has a lower risk of infection than their younger counterparts, they are at the same or possibly even higher risk of contracting HIV. In Area 5 (Pinellas and Pasco counties), the 50 and older age group (in red)



had the largest increase, 19% to 26%, in the proportion of HIV infection cases from 2005 to 2014. The only other age group to increase in the proportion of cases was those aged 20-29 (in blue), but only by 2% compared to the 7% increase seen in the 50+ group.

**New HIV Infection Cases among Persons Aged 50+ by Mode of Transmission, 2014, Area 5**




Why is this age group experiencing an increase in HIV infections instead of other age groups? Many of those aged 50+ who are widowed or divorced start dating again and may be less aware of their risk of contracting HIV than younger people are.<sup>2</sup> Furthermore, those aged 50 and older are less likely to use protection during sex since they no longer worry about pregnancy. Additionally, they are less likely to discuss their sex life with their physician.<sup>3</sup>

As shown in the pie chart above, male-to-male sexual contact (MSM) is the primary risk factor among persons aged 50 and older, accounting for 55% of new HIV infections in this cohort in 2014. Heterosexual contact accounted for 34% of new HIV infections among those aged 50 and older in 2014.

An additional concern with this age group is that they are more likely to be diagnosed with HIV in the later stages of the infection. This is due to a number of reasons, including attributing symptoms of HIV/AIDS to normal signs of aging. Moreover, older adults may have other illnesses that mask the signs of HIV. Doctors are also less likely to test older adults for HIV or ask about their sexual habits. Although stigma is an issue with all age groups, it is concerning among those over 50 if they already feel isolated or depressed due to an existing disease or loss of their loved ones.<sup>4</sup>

**HIV Infection Case Rates among Persons Aged 50+ by Race/Ethnicity, 2014, Area 5**



As with all age groups, racial disparities exist in those over the age of 50 living with HIV/AIDS. By viewing the chart on the left, one can see that the case rate for new HIV infections in 2014 in Area 5 was 7 times higher among blacks over the age of 50 than for whites. Similarly, the case rate among the Hispanic/other population was 4 times higher than that among whites.

In conclusion, persons aged 50 and older need to be tested for HIV if they remain sexually active. There also needs to be more discussion between doctors and patients in this age group about HIV risk factors and prevention measures.

### Check out these sourced links for further information

- <https://www.cdc.gov/hiv/group/age/olderamericans/>
- <https://www.nia.nih.gov/health/publication/hiv-aids-and-older-people#older>
- <https://www.aids.gov/hiv-aids-basics/just-diagnosed-with-hiv-aids/overview/aging-population/>
- <https://www.ncbi.nlm.nih.gov/pubmed/16706709>

# Pinellas County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to September 30, 2016

HIV data is cumulative from 7/1/97 to September 30, 2016

Table 1.	AIDS Cases—ADULT			HIV Cases—ADULT		
	Risk Exposure	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)
MSM*	3002 (69%)	0 (0%)	<b>3002 (56%)</b>	1112 (75%)	0 (0%)	<b>1112 (57%)</b>
Injecting Drug Users (IDU)	460 (10%)	270 (28%)	<b>730 (14%)</b>	77 (5%)	86 (18%)	<b>163 (8%)</b>
MSM & IDU	341 (8%)	0 (0%)	<b>341 (6%)</b>	87 (6%)	0 (0%)	<b>87 (5%)</b>
Heterosexual Contact	346 (8%)	603 (61%)	<b>949 (18%)</b>	110 (7%)	306 (67%)	<b>416 (21%)</b>
Transfusion Recipients	27 (1%)	23 (2%)	<b>50 (1%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Coagulation Disorder	10 (0%)	0 (0%)	<b>10 (0%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Perinatal or Pediatric Risk	7 (0%)	8 (1%)	<b>15 (0%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Risk Not Reported/Other	179 (4%)	76 (8%)	<b>255 (5%)</b>	110 (7%)	67 (15%)	<b>177 (9%)</b>
<b>Total</b>	<b>4372 (82%)</b>	<b>980 (18%)</b>	<b>5352</b>	<b>1498 (77%)</b>	<b>459 (23%)</b>	<b>1957</b>

Table 2.	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Risk Exposure	Hispanic/Other	Black	White	Hispanic/Other	Black
Mother with HIV	5	12	11	4	5	5
Hemophilia	0	0	2	0	0	0
Transfusion Recipients	0	1	0	0	0	0
Risk Not Reported/Other	1	0	0	0	1	0
<b>Total</b>	<b>6</b>	<b>13</b>	<b>13</b>	<b>4</b>	<b>6</b>	<b>5</b>

Table 3.	AIDS Cases			HIV Cases		
	Race	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)
White	3371 (63%)	13 (41%)	<b>3384 (63%)</b>	1059 (54%)	5 (33%)	<b>1064 (54%)</b>
Black	1537 (29%)	13 (41%)	<b>1550 (29%)</b>	669 (34%)	6 (40%)	<b>675 (34%)</b>
Hispanic	334 (6%)	4 (12%)	<b>338 (6%)</b>	172 (9%)	3 (20%)	<b>175 (9%)</b>
Native Hawaiian/Pacific Is.	1 (0%)	0 (0%)	<b>1 (0%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Legacy Asian/Pacific Is.	10 (0%)	0 (0%)	<b>10 (0%)</b>	1 (0%)	0 (0%)	<b>1 (0%)</b>
Am. Indian/AK. Native	6 (0%)	0 (0%)	<b>6 (0%)</b>	3 (0%)	0 (0%)	<b>3 (0%)</b>
Asian	11 (0%)	0 (0%)	<b>11 (0%)</b>	24 (1%)	0 (0%)	<b>24 (1%)</b>
Multi-Race	82 (2%)	2 (6%)	<b>84 (2%)</b>	29 (2%)	1 (7%)	<b>30 (2%)</b>
<b>Total</b>	<b>5352 (99%)</b>	<b>32 (1%)</b>	<b>5384</b>	<b>1957 (99%)</b>	<b>15 (1%)</b>	<b>1972</b>

Table 4.	AIDS Cases		HIV Cases	
	Age	Cases (%)	Deaths (%)	Cases (%)
0-4	21 (0%)	11 (0%)	8 (0%)	0 (0%)
5-12	11 (0%)	5 (0%)	7 (0%)	0 (0%)
13-19	38 (0%)	13 (0%)	74 (4%)	4 (2%)
20-24	203 (4%)	110 (4%)	256 (13%)	13 (6%)
25-29	581 (11%)	342 (11%)	274 (14%)	13 (6%)
30-39	1982 (37%)	1198 (38%)	546 (28%)	49 (23%)
40-49	1598 (30%)	904 (29%)	474 (24%)	74 (35%)
50-59	697 (13%)	378 (12%)	258 (13%)	40 (19%)
60-64	149 (3%)	88 (3%)	47 (2%)	10 (5%)
65-69	63 (1%)	48 (2%)	14 (1%)	3 (1%)
70 +	41 (1%)	33 (1%)	14 (1%)	8 (3%)
<b>Total</b>	<b>5384</b>	<b>3130 (58%)</b>	<b>1972</b>	<b>214 (11%)</b>

\*Men Having Sex with Men (MSM used hereafter)

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

# Pasco County HIV/AIDS Statistics\*

AIDS data is cumulative from 1981 to September 30, 2016

HIV data is cumulative from 7/1/97 to September 30, 2016

Table 1.	AIDS Cases—ADULT			HIV Cases—ADULT		
	Risk Exposure	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)
MSM	444 (58%)	*	<b>444 (45%)</b>	194 (67%)	*	<b>194 (50%)</b>
Injecting Drug Users (IDU)	80 (11%)	53 (25%)	<b>133 (14%)</b>	18 (7%)	16 (16%)	<b>34 (9%)</b>
MSM & IDU	74 (10%)	*	<b>74 (8%)</b>	22 (8%)	*	<b>22 (6%)</b>
Heterosexual Contact	83 (11%)	138 (64%)	<b>221 (23%)</b>	24 (8%)	74 (72%)	<b>98 (25%)</b>
Transfusion Recipients	12 (2%)	3 (1%)	<b>15 (2%)</b>	*	*	<b>*</b>
Coagulation Disorder	3 (0%)	*	<b>3 (0%)</b>	*	*	<b>*</b>
Perinatal or Pediatric Risk	*	*	<b>*</b>	*	*	<b>*</b>
Risk Not Reported/Other	61 (8%)	20 (10%)	<b>81 (8%)</b>	31 (10%)	12 (12%)	<b>43 (10%)</b>
<b>Total</b>	<b>757 (78%)</b>	<b>214 (22%)</b>	<b>971</b>	<b>289 (73%)</b>	<b>102 (27%)</b>	<b>391</b>

Table 2.	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Risk Exposure	Hispanic	Black/Other	White	Hispanic	Black/Other
Mother with HIV	*	*	*	*	3	*
Hemophilia	*	*	*	*	*	*
Transfusion Recipients	*	*	*	*	*	*
Risk Not Reported	*	*	*	*	*	*
<b>Total</b>	<b>All races = 3</b>			<b>All races = 3</b>		

Table 3.	AIDS Cases			HIV Cases		
	Race	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)
White	750 (77%)	*	<b>750 (77%)</b>	274 (70%)	*	<b>274 (70%)</b>
Black	108 (12%)	*	<b>108 (12%)</b>	56 (14%)	3 (100%)	<b>59 (15%)</b>
Hispanic	98 (10%)	*	<b>98 (10%)</b>	53 (14%)	*	<b>53 (13%)</b>
Legacy Asian/Pacific Is.	*	*	<b>*</b>	*	*	<b>*</b>
Am. Indian/AK. Native	*	*	<b>*</b>	*	*	<b>*</b>
Asian	*	*	<b>*</b>	4 (1%)	*	<b>4 (1%)</b>
Multi-Race/Other	15 (1%)	3 (100%)	<b>18 (1%)</b>	4 (1%)	*	<b>4 (1%)</b>
<b>Total</b>	<b>971 (99%)</b>	<b>3 (1%)</b>	<b>974</b>	<b>391 (99%)</b>	<b>3 (1%)</b>	<b>394</b>

Table 4.	AIDS Cases		HIV Cases	
	Age	Cases (%)	Deaths (%)	Cases (%)
0-12	3 (0%)	4 (1%)	3 (1%)	7 (14%)
13-19	7 (1%)	(ages 0-19)	14 (3%)	(ages 0-24)
20-24	39 (4%)	19 (4%)	56 (14%)	
25-29	91 (9%)	47 (9%)	42 (11%)	3 (6%)
30-39	364 (38%)	200 (38%)	107 (27%)	10 (20%)
40-49	283 (29%)	139 (27%)	82 (22%)	16 (32%)
50-59	136 (14%)	75 (14%)	63 (15%)	9 (18%)
60-64	18 (2%)	11 (2%)	15 (4%)	5 (10%)
65-69	19 (2%)	15 (3%)	9 (2%)	(ages 60 +)
70+	14 (1%)	11 (2%)	3 (1%)	
<b>Total</b>	<b>974</b>	<b>521 (53%)</b>	<b>394</b>	<b>50 (13%)</b>

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

\*Department of Health (DOH) workers who release aggregate HIV/AIDS data outside the Department must comply with the policy of suppressing all non-zero tabulated cells with <3 cases (i.e., all cells containing only 1 or 2 cases), except for geographical areas with populations of 500,000 or more. All marginal totals shown in table form should routinely be inspected to ensure that values of internal cells expressed as '<3' cannot be exactly determined. Consolidation with other data sub-groups may be necessary to avoid such disclosure, except for geographical areas with population of 500,000 or more.

# Hillsborough County HIV/AIDS Statistics

AIDS data is cumulative from 1981 to September 30, 2016

HIV data is cumulative from 7/1/97 to September 30, 2016

Risk Exposure	AIDS Cases—ADULT			HIV Cases—ADULT		
	Males (%)	Females (%)	Total (%)	Males (%)	Females (%)	Total (%)
MSM	3853 (62%)	0 (0%)	<b>3853 (47%)</b>	1844 (72%)	0 (0%)	<b>1844 (53%)</b>
Injecting Drug Users (IDU)	749 (12%)	460 (24%)	<b>1209 (15%)</b>	130 (5%)	110 (12%)	<b>240 (7%)</b>
MSM & IDU	483 (8%)	0 (0%)	<b>483 (6%)</b>	108 (4%)	0 (0%)	<b>108 (3%)</b>
Heterosexual Contact	751 (12%)	1250 (64%)	<b>2001 (25%)</b>	230 (9%)	608 (66%)	<b>838 (24%)</b>
Transfusion Recipients	27 (1%)	21 (1%)	<b>48 (1%)</b>	0 (0%)	0 (0%)	<b>0 (0%)</b>
Coagulation Disorder	18 (0%)	1 (0%)	<b>19 (0%)</b>	2 (0%)	0 (0%)	<b>2 (0%)</b>
Perinatal or Pediatric Risk	11 (0%)	22 (1%)	<b>33 (0%)</b>	2 (0%)	3 (0%)	<b>5 (0%)</b>
Risk Not Reported	317 (5%)	198 (10%)	<b>515 (6%)</b>	247 (10%)	206 (22%)	<b>453 (13%)</b>
<b>Total</b>	<b>6209 (76%)</b>	<b>1952 (24%)</b>	<b>8161</b>	<b>2563 (73%)</b>	<b>927 (27%)</b>	<b>3490</b>

Risk Exposure	AIDS Cases—PEDIATRIC			HIV Cases—PEDIATRIC		
	Hispanic/Other	Black	White	Hispanic/Other	Black	White
Mother with HIV	14	46	12	8	25	5
Hemophilia	1	0	2	0	0	0
Transfusion Recipients	0	1	3	0	0	0
Risk Not Reported	0	0	1	0	0	0
<b>Total</b>	<b>15</b>	<b>47</b>	<b>18</b>	<b>8</b>	<b>25</b>	<b>5</b>

Race	AIDS Cases			HIV Cases		
	Adults (%)	Pediatric (%)	Total (%)	Adults (%)	Pediatric (%)	Total (%)
White	3380 (42%)	18 (22%)	<b>3398 (41%)</b>	1250 (36%)	5 (13%)	<b>1255 (36%)</b>
Black	3266 (40%)	47 (59%)	<b>3313 (41%)</b>	1466 (42%)	25 (66%)	<b>1491 (43%)</b>
Hispanic	1340 (16%)	15 (19%)	<b>1355 (16%)</b>	697 (20%)	7 (18%)	<b>704 (19%)</b>
Legacy Asian/Pacific Is.	8 (0%)	0 (0%)	<b>8 (0%)</b>	2 (0%)	0 (0%)	<b>2 (0%)</b>
Native Hawaiian/ Pacific Is.	2 (0%)	0 (0%)	<b>2 (0%)</b>	3 (0%)	0 (0%)	<b>3 (0%)</b>
Am. Indian/AK. Native	5 (0%)	0 (0%)	<b>5 (0%)</b>	5 (0%)	0 (0%)	<b>5 (0%)</b>
Asian	16 (0%)	0 (0%)	<b>16 (0%)</b>	27 (1%)	1 (3%)	<b>28 (1%)</b>
Multi-Race/Other	144 (2%)	0 (0%)	<b>144 (2%)</b>	40 (1%)	0 (0%)	<b>40 (1%)</b>
<b>Total</b>	<b>8161 (99%)</b>	<b>80 (1%)</b>	<b>8241</b>	<b>3490 (99%)</b>	<b>38 (1%)</b>	<b>3528</b>

Age	AIDS Cases		HIV Cases	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
0-4	60 (1%)	24 (1%)	30 (1%)	0 (0%)
5-12	20 (0%)	11 (0%)	8 (0%)	0 (0%)
13-19	85 (1%)	21 (0%)	162 (5%)	7 (2%)
20-24	361 (4%)	155 (3%)	514 (15%)	12 (4%)
25-29	1062 (13%)	588 (13%)	551 (15%)	27 (9%)
30-39	3011 (37%)	1752 (38%)	967 (27%)	73 (23%)
40-49	2314 (28%)	1227 (27%)	806 (23%)	92 (29%)
50-59	957 (12%)	545 (12%)	367 (11%)	64 (20%)
60-64	207 (2%)	147 (3%)	85 (2%)	22 (7%)
65-69	93 (1%)	67 (2%)	25 (1%)	11 (3%)
70 +	71 (1%)	56 (1%)	13 (0%)	9 (3%)
<b>Total</b>	<b>8241</b>	<b>4593 (56%)</b>	<b>3528</b>	<b>317 (9%)</b>

Source: Florida Department of Health, Bureau of HIV/AIDS (excluded DOC cases from report)

# Florida HIV/AIDS Statistics

Table 1. HIV/AIDS Case Counts for Florida (HIV: 7/1/97 - 9/2016) (including Dept. of Corrections) (AIDS: 1981—9/2016)			Table 2. HIV/AIDS Cases Presumed to be Alive in Florida (through 9/2016) - including Dept. of Corrections		
	HIV	AIDS		HIV	AIDS
ADULT	56,274	134,216	ADULT	47,453	54,341
PEDIATRIC (< 13)	596	1,557	PEDIATRIC (< 13)	139	22
TOTAL	56,870	135,773	TOTAL	47,592	54,363

Table 3. Living HIV/AIDS Case Counts in Surrounding Counties (through 9/2016)- excluding Dept. of Corrections			Table 4. Living HIV/AIDS Case Counts in the Top 7 Florida Counties (through 9/2016)- excluding Dept. of Corrections		
County	HIV	AIDS	County	HIV	AIDS
Hillsborough	2,909	3,209	Miami-Dade	12,939	12,623
<b>Pinellas</b>	<b>1,625</b>	<b>2,135</b>	Broward	8,529	8,958
Polk	839	1,118	Palm Beach	3,117	4,425
Manatee	394	506	Orange	3,712	3,761
Sarasota	348	446	Hillsborough	2,909	3,209
<b>Pasco</b>	<b>328</b>	<b>488</b>	Duval	2,442	3,100
Hernando	114	155	<b>Pinellas</b>	<b>1,625</b>	<b>2,135</b>
Highlands	83	114	<i>*Source for Tables 1—4: Florida Department of Health Bureau of HIV/AIDS</i>		
Hardee	23	34			

# United States HIV/AIDS Statistics

Table 5. Cumulative HIV/AIDS Case Counts for U.S. and dependent areas				Table 6. Cumulative Number of Adult Cases Living with HIV in Top 5 U.S. States (through 2014)		
	HIV *	AIDS **	% AIDS Deaths (estimated)			
ADULT	970,319	1,243,001	55%	1. New York (06/00)	130,753	14%
PEDIATRIC	2,494	9,889	52%	2. California (4/06)	119,589	13%
TOTAL	972,813	1,252,890	55%	3. <b>Florida (07/97)</b>	<b>103,696</b>	<b>11%</b>
<i>*HIV data includes persons living with HIV through 2014 in 50 states and 6 U.S. dependent areas. **AIDS data includes both living and deceased persons diagnosed with AIDS through 2015.</i>				4. Texas (01/99)	77,896	8%
				5. Georgia (01/04)	46,870	5%

Table 7. Cumulative AIDS Cases of 20 Leading U.S. Cities/MSAs (through 2015)							
1. New York City	196,535	6. Philadelphia area	35,326	11. Baltimore area	26,020	16. San Diego area	15,723
2. Los Angeles area	71,891	7. Houston area	34,506	12. San Juan, PR	25,098	<b>17. Tampa-St. Pete area</b>	<b>14,759</b>
3. Washington D.C. area	40,508	8. Atlanta area	33,276	13. Newark	24,699	18. Detroit area	13,516
4. Chicago area	38,623	9. San Francisco	32,402	14. Ft. Lauderdale	21,436	19. Oakland, Ca.	12,056
5. Miami	36,652	10. Dallas area	26,964	15. Boston area	17,087	20. West Palm Beach	12,025

Table 8. Cumulative AIDS Cases of 10 Leading U.S. States & Dependent Areas (through 2015)				World HIV/AIDS Statistics	
1. New York	205,387	6. Georgia	48,585	<b>Estimated new HIV infections in World in 2015: 2.1 million</b> (cumulative: 78 million)	
2. California	173,759	7. Illinois	43,124	<b>Estimated living World HIV Cases as of 2015: 36.7 million</b> (25.5 million in sub-Saharan Africa; 1.2 million in the U.S.)	
<b>3. Florida</b>	<b>135,089</b>	8. Pennsylvania	42,298	<b>Estimated number of people in World taking ART (meds) in 2015: 17 million</b>	
4. Texas	93,487	9. Maryland	40,100	<b>Estimated children (&lt;15 years of age) newly infected with HIV in 2015: 150,000</b> (1.8 million children are living with HIV)	
5. New Jersey	58,771	10. Puerto Rico	35,080	<b>Estimated World deaths due to AIDS in 2015: 1.1 million</b> (cumulative: 35 million)	
<b>Source for Tables 5—8: Centers for Disease Control and Prevention, HIV/AIDS Surveillance Report, Vol. 27</b>				<b>Source: World Health Organization (<a href="http://www.who.org">www.who.org</a>) &amp; Joint United-Nations Programme on HIV/AIDS (<a href="http://www.unaids.org/en/">www.unaids.org/en/</a>)</b>	

### Useful Web Links/Sites for Additional HIV/AIDS Information

Florida HIV/AIDS Statistics:	<a href="http://www.floridahealth.gov/">http://www.floridahealth.gov/</a>	Int'l Assoc. of Physicians in AIDS care:	<a href="http://www.japac.org/">http://www.japac.org/</a>
Centers for Disease Control and Prevention:	<a href="http://www.cdc.gov/hiv/">http://www.cdc.gov/hiv/</a>	Florida AIDS Hotline site:	<a href="http://www.211bigbend.org/flhivaids hotline">http://www.211bigbend.org/flhivaids hotline</a>
World Health Organization:	<a href="http://www.who.int/topics/hiv_aids/en/">http://www.who.int/topics/hiv_aids/en/</a>	U.S. HIV/AIDS official website:	<a href="http://www.aids.gov/">http://www.aids.gov/</a>
Perinatal HIV information (USF):	<a href="http://www.usfcenter.org/Perinatal/">http://www.usfcenter.org/Perinatal/</a>	HIV/AIDS Info/Treatment Site:	<a href="http://www.aidsinfo.nih.gov/">http://www.aidsinfo.nih.gov/</a>