I. Patient Identification (record all dates as mm/dd/yyyy)

*First Name		*Middle Name			*Last Name		1	Last Name Soundex		
Alternate Name Type (ex: Alias,	, Married)		*First Name	9		*Middle Name		*Last I	Nam	e
Address Type Residential Foster home Postal Shelt] Homeles	s 🗆 Military		*Currer	nt Addres	s, Street				Address Date
*Phone City		iporary	County			State/Country		,	*ZIP	Code
*Medical Record Number							* Number Social Securi			
U.S. Department of Health and Human Services Adult HIV Confidential Case Report Form (Patients ≥13 years of age at time of diagnosis) *Information NOT transmitted to CDC Centers for Disease Contro and Prevention (CDC)							Centers for Disease Control and Prevention (CDC) 10. 0920-0573 Exp. 02/28/2026			
Date Received at Health Depart		eHARS Document UID				State Number				
Reporting Health Dept—City/Co	ounty					City/County N	umber			
Document Source			Surveillar	nce Method	Active	e 🗆 Passive	□ Follow up	Real	ostra	iction 🗆 Unknown
Did this report initiate a new ca □ Yes □ No □ Unknown	ase invest	igation?	Report Me		Mailed (□ 3-Faxed □ 4	-Phone 🗆 5-E	Electron	ic tra	ansfer □ 6-CD/disk
III. Facility Providing Info	ormatio	n (record	all dates a	s mm/dd/	/уууу)					
Facility Name							*Phone	;)		
*Street Address										
City					State/C	ountry	*ZIP Co	ode		
Facility Inpatient: Type □ Hospital □ Other, specify		<u>Dutpatient</u> : □] Adult HIV clir] Other, specif	nic			<u>g, <i>Diagnostic, Rei</i> ⊐</u> STD clinic specify	ferral Agency:	🗆 Lab	orato	<i>li<u>ty</u>:</i> □ Emergency room ry □ Corrections □ Unknown becify
Date Form Completed			*Person Co	••••••••••••••••••••••••••••••••••••••			*Phone		er, sp	еспу
IV. Patient Demographic	<u>''</u> :s (recor		as mm/do	l∕yyyy))		
Sex Assigned at Birth	🗆 Fema	ale 🗆 Unkn	own	Country o	f Birth 🛛	US 🗆 Other/U	S dependency	(specify)	
Date of Birth / / /					Alias D	ate of Birth	_//			
Vital Status 1-Alive 2-De	ead	C	ate of Deat	h/_	/		State of Death	1		
Gender Identity Image: Man imag										
Date Identified	/	_/	_							
Sexual Orientation □ Straight or heterosexual □ Lesbian or gay □ Bisexual □ Additional sexual orientation (specify) □ □ □ Declined to answer □ Unknown										
Race □ American Indian/Alaska Native □ Asia (check all that apply) □ Native Hawaiian/Other Pacific Islander					ican American □ Unknown	Expanded Race				
V. Residence at Diagnos	sis (add a	additional	addresses	s in Comn	nents) (r	ecord all date	s as mm/dd/	уууу)		
Address Event Type (check all that apply to address below) Residence at HIV diagnosis Residence at stage 3 (AIDS) diagnosis Check if <u>SAME</u> as current address										
Address Type 🛛 Residential 🗆 Bad address 🗆 Correctional facility 🗅 Foster home 🗆 Homeless 🗆 Military 🗆 Other 🗅 Postal 💷 Shelter 🗅 Temporary										
*Street Address										
City	Count	У		\$	State/Cou	ntry			*Z	IP Code
Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to CDC, Project Clearance Officer, 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0573). Do not send the completed form to this address.										

VI. Facility	of Diagnosis (add	additional	I facilities in Comment	s)					
Diagnosis Typ	e (check all that apply to	ວ facility belo	ow) □ HIV □ Stage 3	(AIDS)	ity providing	informa	ation		
Facility Name					*Phone ()			
*Street Addres	iS								
City		County		State/Country	*ZIP	Code			
Facility Type Inpatient: □ Hospital Outpatient: □ Private physician's office □ Other, specify □ Adult HIV clinic		Screening, Diagnostic, Referral Agency. Other Fac			<u>cility</u> : □ Emergency room				
						Laboratory Corrections Unknown Other, specify			
Other, specify Other, specify Other, specify			er, spec						
*Provider Name *Provider Phone () Specialty									
		<u> </u>	tions) (record all dates		Pediatr	ric Ris	sk (ente	ər in C	omments)
After 1977 and	before the earliest kn	own diagno	sis of HIV infection, this p	oatient had:					
Sex with male						□ Ye	s 🗆 No	, □U	nknown
Sex with female	3					□ Ye	s 🗆 No	• 🗆 U	nknown
Injected nonpre	scription drugs					□ Ye	s 🗆 No	• 🗆 U	nknown
Received clotting factor for hemophilia/coagulation disorder						□ Ye	s 🗆 No	• 🗆 U	nknown
Specify clotting			-	Date received//					
	IAL relations with any		0						
	IAL contact with person		drugs			□ Ye		-	nknown
HETEROSEXUAL contact with bisexual male						□ Ye		-	nknown
HETEROSEXU	AL contact with person	with hemoph	ilia/coagulation disorder with	ו documented HIV infection		□ Ye	s 🗆 No) 🗆 U	nknown
HETEROSEXU	AL contact with transfus	ion recipient	with documented HIV infect	tion		□ Ye	s 🗆 No) 🗆 U	nknown
HETEROSEXUAL contact with transplant recipient with documented HIV infection					□ Ye	s 🗆 No	, □U	nknown	
HETEROSEXUAL contact with person with documented HIV infection, risk not specified					□ Ye	s 🗆 No	, □ U	nknown	
Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments)					□ Ye	s 🗆 No	• 🗆 U	nknown	
First date received/ Last date received//									
Received transplant of tissue/organs or artificial insemination					□ Ye	s 🗆 No	• 🗆 U	nknown	
Worked in a healthcare or clinical laboratory setting					□ Ye	s 🗆 No	• 🗆 U	nknown	
If occupational exposure is being investigated or considered									
	le of exposure, specify o								
	ted risk (include detail ir	,					s □ No		nknown
				sses (record all dates as mr					
			vo items below; enter document V test result in HIV Testing Histo	ted negative HIV test result data in Laboi ory section	ratory Data sec	ction,	□ Yes	□ No	
Clinical signs/s	Clinical signs/symptoms consistent with acute retroviral syndrome (e.g., fever, malaise/fatigue, myalgia, pharyngitis, rash,								
Other evidence	lymphadenopathy)? Date of sign/symptom onset/// Other evidence suggestive of acute HIV infection? If YES, describe: □ Yes □ No □ Unknow						Unknown		
Date of evidence//									
Opportunistic									

Diagnosis	Dx Date	Diagnosis	Dx Date	Diagnosis	Dx Date			
Candidiasis, bronchi, trachea, or lungs		Herpes simplex: chronic ulcers (>1 mo. duration), bronchitis, pneumonitis, or esophagitis		M. tuberculosis, pulmonary ¹				
Candidiasis, esophageal		Histoplasmosis, disseminated or extrapulmonary		M. tuberculosis, disseminated or extrapulmonary ¹				
Carcinoma, invasive cervical		Isosporiasis, chronic intestinal (>1 mo. duration)		Mycobacterium, of other/unidentified species, disseminated or extrapulmonary				
Coccidioidomycosis, disseminated or extrapulmonary		Kaposi's sarcoma		Pneumocystis pneumonia				
Cryptococcosis, extrapulmonary		Lymphoma, Burkitt's (or equivalent)		Pneumonia, recurrent, in 12 mo. period				
Cryptosporidiosis, chronic intestinal (>1 mo. duration)		Lymphoma, immunoblastic (or equivalent)		Progressive multifocal leukoencephalopathy				
Cytomegalovirus disease (other than in liver, spleen, or nodes)		Lymphoma, primary in brain		Salmonella septicemia, recurrent				
Cytomegalovirus retinitis (with loss of vision)		Mycobacterium avium complex or M. kansasii, disseminated or extrapulmonary		Toxoplasmosis of brain, onset at >1 mo. of age				
HIV encephalopathy				Wasting syndrome due to HIV				

¹If a diagnosis date is entered for either tuberculosis diagnosis above, provide RVCT Case Number:

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy)
HIV Immunoassays
TEST
HIV-1 IA
HIV-1/2 IA
HIV-1/2 Ag/Ab
HIV-2 IA
Test Brand Name/Manufacturer
Lab Name
Lab Name

 Facility Name
 Provider Name

 Result
 Positive
 Negative
 Indeterminate
 Collection Date
 /___/____

 Testing Option
 (if applicable)
 Point-of-care test by provider
 Self-test, result directly observed by a provider²
 Lab test, self-collected sample

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy) (cont)

TEST I HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between HI	
Test Brand Name/Manufacturer	Lab Name
Facility Name Result Overall: Reactive	Collection Date / /
Analyte results: HIV-1 Ag: Reactive Nonreactive HIV-1/2 Ab	
Testing Option (if applicable) Point-of-care test by provider Self-test, res	
TEST D HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentiates an	nong HIV-1 Ag, HIV-1 Ab, and HIV-2 Ab)
Test Brand Name/Manufacturer	Lab Name
Facility Name Result ³ Overall interpretation: □ Reactive □ Nonreactive □ Index Value	Provider Name
Result ³ Overall interpretation: □ Reactive □ Nonreactive □ Index Value Analyte results: HIV-1 Ag: □ Reactive □ Nonreactive □ Not report	Collection Date///
HIV-1 Ab: Reactive Nonreactive Reactive Reactive Nonreactive Reactive	ndifferentiated Index Value
	ndifferentiated Index Value
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ² □ Lab test, self-collected sample
TEST D HIV-1/2 type-differentiating immunoassay (supplemental) (differentiated	s between HIV-1 Ab and HIV-2 Ab)
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
	/-1 indeterminate
Analyte results: HIV-1 Ab: Positive Negative Indeterminate	Collection Date / /
HIV-2 Ab: □ Positive □ Negative □ Indeterminate	
Testing Option (if applicable) Point-of-care test by provider Self-test, res	ult directly observed by a provider ²
TEST I HIV-1 WB I HIV-1 IFA I HIV-2 WB	
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
Testing Option (if applicable)	ult directly observed by a provider ² \Box Lab test self-collected sample
HIV Detection Tests	
TEST D HIV-1/2 RNA NAAT (Qualitative)	Lab Name
Test Brand Name/Manufacturer	Provider Name
Facility Name	_Collection Date / / /
Result □ HIV-1 □ HIV-2 □ Both (HIV-1 and HIV-2) □ HIV, not differentia Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re	
Testing Option (if applicable) Denint-of-care test by provider Diself-test, re TEST HIV-1 RNA NAAT (Qualitative and Quantitative)	
Test Brend Neme/Manufacturer	Lab Name
Facility Name	Provider Name
Result Qualitative: Reactive Nonreactive	Collection Data
	Conection Date//
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit	ectable within limits 🛛 Detectable below limit
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable bove limit	ctable within limits Detectable below limit Copies/mLLog
Analyte results: HIV-1 Quantitative: Detectable Detectable Detectable Testing Option (if applicable) Detectable Detectable Detectable Detectable	actable within limits □ Detectable below limit Copies/mL Log ult directly observed by a provider ² □ Lab test, self-collected sample
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT HIV-1 HIV-1 Culture HIV-2 RNA/DNA	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 HIV-2 RNA/ Test Brand Name/Manufacturer	Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	Copies/mL Log Ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cctable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	antitative) Lab Name Provider Name Collection Date I directly observed by a provider ² Lab test, self-collected sample Provider Name Collection Date I directly observed by a provider ² Lab test, self-collected sample Provider Name Provider Name I directly observed by a provider ² Lab test, self-collected sample antitative) Lab Name Provider Name I directly observed by a provider ² Lab Name A provider Name Provider Name Provider Name test, self-collected sample A tot detected Copies/mL Log
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date // t directly observed by a provider ² Lab test, self-collected sample antitative) Lab Name Lab Name Provider Name Provider Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	ccable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date // t directly observed by a provider ² Lab test, self-collected sample antitative) Lab Name Lab Name Provider Name Provider Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mLLog ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date // t directly observed by a provider ² Lab test, self-collected sample antitative) Lab Name Provider Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mLLog ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	bectable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date //
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date /
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	actable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date /
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, res TEST HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Facility Name	cobies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit Detectable above limit Testing Option (if applicable) Point-of-care test by provider Self-test, result Test Brand Name/Manufacturer	cotable within limits Detectable below limit Copies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name
Analyte results: HIV-1 Quantitative: Detectable above limit HIV-1 RNA/DNA NAAT (Qualitative) HIV-1 culture HIV-2 RNA/ Test Brand Name/Manufacturer	cobies/mL Log Logies/mL Log ult directly observed by a provider ² Lab test, self-collected sample DNA NAAT (Qualitative) HIV-2 culture Lab Name Provider Name Collection Date //

X. Treatment/Services	Referrals (recor	rd all dates as mm/dd/yyyy)
-----------------------	------------------	-----------------------------

	This patient's partners will be notified about					
Evidence of receipt of HIV medical care other than laboratory test result (select one; record additional evidence in Comments) □ 1-Yes, documented □ 2-Yes, client self-report, only Date of medical visit or prescription///						
For Female Patient						
	gical or le this patient currently program	Has this nationt delivered live hern infente?				
This patient is receiving or has been referred for gynecold obstetrical services Yes No Unknown	gical or is this patient currently pregnant?	Has this patient delivered live-born infants?				
For Children of Patient (record most recent birth in these	boxes; record additional or multiple births in Com	ments)				
*Child's Name		hild's Date of Birth / / /				
Child's Last Name Soundex	Child's State Number					
Facility Name of Birth		*Phone				
(if child was born at home, enter "home birth")		()				
	atient: Other Facil	<i>li<u>ty</u>:</i> □ Emergency room				
□ Hospital □ O	ther, specify Correction	ons 🗆 Unknown				
□ Other, specify	□ Other, sp					
*Street Address		*ZIP Code				
City	County	State/Country				
XI. Antiretroviral Use History (record all dates a	ıs mm/dd/yyyy)					
Main source of antiretroviral (ARV) use information (select		Date patient reported information				
	vider report					
Ever taken any ARVs? Yes No Unknown						
If yes, reason for ARV use (select all that apply)						
□ HIV Tx ARV medications	Date began / / /	Date of last use / / /				
PrEP ARV medications	-					
PEP ARV medications						
PMTCT ARV medications						
	Date began / /					
Other (specify reason)						
ARV medications	Date began / /	Date of last use / / /				
XII. HIV Testing History (record all dates as mm	/dd/yyyy)					
Main source of testing history information (select one)		Date patient reported information				
Patient interview Medical record review Provider re	•					
Ever had previous positive HIV test result? Ves No		result / /				
Was the first positive test result from a self-test performed	by the patient? □ Yes □ No □ Unknown					
Ever had a negative HIV test result? Yes No Ur		result (if date is from Lab Data section) / /				
Was the last negative test result from a self-test performe						
Number of negative HIV test results within the 24 months before the first positive test result Unknown						
How many of these negative test results were from self-tests performed by the patient?						
XIII. Comments						
CHECK OOS STATE:	If pregnant, li	st EDD (due date)://				
DOC#	in ProSnand, in					
Link with e-HARS stateno(s):						
XIV. *Local/Optional Fields		NIR Status:				
STARS# ERF'd://_	1	NIR OP Date: / /				
Other Risks: A B/C D F M V		NIR CL Date: /_/				
Hepatitis: A B C Other UNKn		NIR RE Date: / /				
Test & Treat (Yes/No)	Initial	s(3) Source code:				
This report to CDC is authorized by law (Sections 304 and 306 of the I purposes but may be mandatory under state and local statutes. Your of Surveillance System that would permit identification of any individual of for the purposes stated in the assurance, and will not otherwise be dis Service Act (42 USC 242m).	cooperation is necessary for the understanding and contr in whom a record is maintained is collected with a guara	ol of HIV. Information in CDC's National HIV ntee that it will be held in confidence, will be used only				