I. Patient Identification (record	all dates as	mm/dd/yyy	у)								
*First Name	*Middle Nam	е		*Last Nam	*Last Name		Last Name Soundex				
Alternate Name Type (example: Birth, Ca	Name	Name *Mi		Middle Name		*Last Name					
Address Type □ Residential □ Bad address Type □ Foster home □ Homele □ Postal □ Shelter □ Te	•	*				Address Date					
*Phone City		County			State/Country		*ZIP Code				
*Modical Pacard Number		*/	*Other ID True		* Social Socurity		Number				
*Medical Record Number											
U.S. Department of Health and Human Services Pediatric HIV Confidential Case Report Form (Patients aged <13 years at time of perinatal exposure or patients aged <13 years at time of diagnosis) *Information NOT transmitted to CDC Centers for Disease Control and Prevention (CDC)											
II. Health Department Use Only Date Received at Health Department	y (record all	dates as mm/dd/yyyy) Forn eHARS Document UID				m approved OMB no. 0920-0573 Exp. 02/28/2026 State Number					
//		enaks document old				State Number					
Reporting Health Dept—City/County		City/County Number									
Document Source				□ Active □ P	assive Follov	v up □ Reabstr	action Unknown				
Did this report initiate a new case inves ☐ Yes ☐ No ☐ Unknown	stigation?	Report Medium □ 1-Field visit □ 2-Mailed □ 3-Faxed □ 4-Phone □ 5-Electronic transfer □ 6-CD/disk									
III. Facility Providing Informati	on (record o				Aed 4-1 Holl	e 🗆 3-Liectioi	ile transfer 🗆 0-0D/disk				
Facility Name	on (record a	all uates as	s mm/aa/yy	/99)		*Phone					
						()					
*Street Address	ounty			0			LATIN O. I				
-		State/Country			*ZIP Code						
Facility Inpatient: □ Hospital Type □ Other, specify	Facility Inpatient: □ Hospital Outpatient: □ Private physician's office □ Pediatric clinic Other Facility: □ Emergency room □ Laboratory Type □ Other, specify □ Unknown □ Other, specify										
Date Form Completed		*Person Con	npleting For	rm		*Phone					
IV. Patient Demographics (reco	rd all dates	as mm/dd/	yyyy)			/					
Diagnostic Status at Report ☐ 3-Perina ☐ 4-Pediatric HIV ☐ 5-Pediatric AIDS	tal HIV exposu	ire	Sex Assig	ned at Birth □ Female □ U			□ Other/US dependency				
Date of Birth / /					ate of Birth	1 1					
Vital Status □ 1-Alive □ 2-Dead	Date of I	Death	/ /			of Death					
Date of Last Medical Evaluation	1 1			Date of Initial	Evaluation for	HIV /	1				
Gender Identity	ansgender boy	<u> </u>	ender girl								
□ Additional gender ide	entity (specify)										
□ Declined to answer	□ Unknown										
Date Identified///		. 1. 1	= D:	-1							
Sexual Orientation ☐ Straight or hetero ☐ Additional sexual											
□ Declined to answ											
Date Identified / /											
Ethnicity □ Hispanic/Latino □ Not Hispa	Jnknown Expande			d Ethnicity							
		Asian □ Black/African American			ed Race						
V. Residence at Diagnosis (add					all dates as n	nm/dd/vvvv)					
	Residence at diagnosis	HIV □ Re		stage □ Resi		□ Residence at	□ Check if <u>SAME</u> as reverter current address				
Address Type □ Residential □ Bad add			, ,		<u> </u>						
*Street Address											
City	County			State/Country	1		*ZIP Code				
Public reporting burden of this collection of informa maintaining the data needed, and completing and information unless it displays a currently valid OMI reducing this burden to CDC. Project Clarance	reviewing the colle 3 control number.	ection of informa Send comments	tion. An agency regarding this l	may not conduct burden estimate o	or sponsor, and a pe r any other aspect of	erson is not required fithis collection of info	to respond to, a collection of ormation, including suggestions for				

This report to CDC is authorized by law (Sections 304 and 306 of the Public Health Service Act, 42 USC 242b and 242k). Response in this case is voluntary for federal government purposes but may be mandatory under state and local statutes. Your cooperation is necessary for the understanding and control of HIV. Information in CDC's National HIV Surveillance System that would permit identification of any individual on whom a record is maintained is collected with a guarantee that it will be held in confidence, will be used only for the purposes stated in the assurance, and will not otherwise be disclosed or released without the consent of the individual in accordance with Section 308(d) of the Public Health Service Act (42 USC 242m).

(Page 1 of 6)

VI. Facility of Diagnosis (add additional facilities in Comments) Diagnosis Type (check all that apply to facility below) □ HIV □ Stage 3 (AIDS) □ Perinatal exposure □ Check if SAME as facility providing information **Facility Name** *Phone (*Street Address *ZIP Code City County State/Country Facility Type *Inpatient*: □ Hospital Outpatient: ☐ Private physician's office ☐ Pediatric clinic Other Facility: ☐ Emergency room ☐ Laboratory $\hfill \square$ Pediatric HIV clinic $\hfill \square$ Other, specify $\hfill \square$ □ Unknown □ Other, specify _ ☐ Other, specify _ *Provider Name *Provider Phone (Specialty VII. Patient History (respond to all questions) (record all dates as mm/dd/yyyy) Birthing person's HIV infection status (select one): ☐ Refused HIV testing ☐ Known to be uninfected after this child's birth □ Known HIV+ before pregnancy □ Known HIV+ during pregnancy □ Known HIV+ sometime before birth □ Known HIV+ at delivery ☐ Known HIV+ after child's birth ☐ HIV+, time of diagnosis unknown ☐ HIV status unknown Date of birthing person's first positive test result to confirm infection Child breastfed/chestfed by birthing person □ Yes □ No □ Unknown Child received premasticated/pre-chewed food from birthing person ☐ Yes ☐ No ☐ Unknown After 1977 and before the earliest known diagnosis of HIV infection, the birthing person had: Perinatally acquired HIV infection □ No □ Unknown Injected nonprescription drugs □ Unknown □ No Birthing person had HETEROSEXUAL relations with any of the following: HETEROSEXUAL contact with person who injected drugs □ Yes □ No □ Unknown HETEROSEXUAL contact with bisexual male □ Yes □ No □ Unknown HETEROSEXUAL contact with person with hemophilia/coagulation disorder with documented HIV infection □ Unknown □ Yes □ No HETEROSEXUAL contact with transfusion recipient with documented HIV infection □ No □ Unknown HETEROSEXUAL contact with transplant recipient with documented HIV infection □ Yes □ No □ Unknown HETEROSEXUAL contact with person with documented HIV infection, risk not specified □ Yes \square No □ Unknown Birthing person had: Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments) □ Yes □ No □ Unknown Last date received Received transplant of tissue/organs or artificial insemination ☐ Yes ☐ No □ Unknown Before the diagnosis of HIV infection, this child had: Injected nonprescription drugs □ Yes □ No □ Unknown Received clotting factor for hemophilia/coagulation disorder □ No □ Unknown Specify clotting factor: Date received ___ Received transfusion of blood/blood components (other than clotting factor) (document reason in Comments) ☐ Yes ☐ No □ Unknown Last date received First date received Received transplant of tissue/organs □ Unknown □ Yes □ No Sexual contact with male ☐ Yes □ No □ Unknown Sexual contact with female ☐ Yes ☐ No ☐ Unknown Been breastfed/chestfed by non-birthing person □ Yes □ No □ Unknown Received premasticated/pre-chewed food from non-birthing person □ Yes □ No □ Unknown Other documented risk (include detail in Comments) □ Yes □ No □ Unknown VIII. Clinical: Opportunistic Illnesses (record all dates as mm/dd/yyyy) Diagnosis Dx Date Diagnosis Dx Date Diagnosis Dx Date Bacterial infection, multiple or recurrent HIV encephalopathy Mycobacterium avium complex or M. (including Salmonella septicemia) kansasii, disseminated or extrapulmonary Candidiasis, bronchi, trachea, or lungs Herpes simplex: chronic ulcers (>1 mo. duration), M. tuberculosis, pulmonary¹ bronchitis, pneumonitis, or esophagitis Candidiasis, esophageal Histoplasmosis, disseminated or extrapulmonary M. tuberculosis, disseminated or extrapulmonary¹ Carcinoma, invasive cervical Isosporiasis, chronic intestinal (>1 mo. duration) Mycobacterium, of other/unidentified species, disseminated or extrapulmonary Coccidioidomycosis, disseminated Kaposi's sarcoma Pneumocystis pneumonia or extrapulmonary Cryptococcosis, extrapulmonary Lymphoid interstitial pneumonia and/or Pneumonia, recurrent in 12 mo. period pulmonary lymphoid Cryptosporidiosis, chronic intestinal Lymphoma, Burkitt's (or equivalent) Progressive multifocal (>1 mo. duration) leukoencephalopathy Lymphoma, immunoblastic (or equivalent) Toxoplasmosis of brain, onset at >1 mo. Cytomegalovirus disease (other than in liver, spleen, or nodes) of age Cytomegalovirus retinitis (with loss Lymphoma, primary in brain Wasting syndrome due to HIV

¹If a diagnosis date is entered for either tuberculosis diagnosis above, provide RVCT Case Number:

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy)

HIV Immunoassays	
TEST □ HIV-1 IA □ HIV-1/2 IA □ HIV-1/2 Ag/Ab □ HIV-2 IA	
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
Result □ Positive □ Negative □ Indeterminate	Collection Date
	Collection Date//
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	suit directly observed by a provider- Lab test, sell-collected sample
TEST ☐ HIV-1/2 Ag/Ab differentiating immunoassay (differentiates between HIV	V Ag and HIV Ab)
Test Brand Name/Manufacturer	Lab Name
Facility Name	
Result Overall: □ Reactive □ Nonreactive	Collection Date / /
Analyte results: HIV-1 Ag: Reactive Nonreactive HIV-1/2 A	No. Reactive Nonreactive
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	
Testing Option (ii applicable) Point-of-care test by provider Sen-test, res	suit directly observed by a provider Lab test, self-collected sample
TEST □ HIV-1/2 Ag/Ab and type-differentiating immunoassay (differentiates an	
Test Brand Name/Manufacturer	
Facility Name	Provider Name
Result ³ <i>Overall interpretation</i> : □ Reactive □ Nonreactive □ Index Value	Collection Date / /
Analyte results: HIV-1 Ag: □ Reactive □ Nonreactive □ Not report	
HIV-1 Ab: □ Reactive □ Nonreactive □ Reactive □	
HIV-2 Ab: □ Reactive □ Nonreactive □ Reactive □	
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	
TEST ☐ HIV-1/2 type-differentiating immunoassay (supplemental) (differentiate	
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
Result ⁴ Overall interpretation: ☐ HIV positive, untypable ☐ HIV-1 positive w	rith HIV-2 cross-reactivity □ HIV-2 positive with HIV-1 cross-reactivity
	1 indeterminate □ HIV-2 indeterminate □ HIV-1 positive □ HIV-2 positive
Analyte results: HIV-1 Ab: □ Positive □ Negative □ Indeterminate	Collection Date //
HIV-2 Ab: □ Positive □ Negative □ Indeterminate	•
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	sult directly observed by a provider ² □ Lab test, self-collected sample
TEST □ HIV-1 WB □ HIV-1 IFA □ HIV-2 WB	
Test Brand Name/Manufacturer	Lab Name
Facility Name	
•	
Result □ Positive □ Negative □ Indeterminate	Collection Date//
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	sult directly observed by a provider ² □ Lab test, self-collected sample
HIV Detection Tests	
TEST □ HIV-1/2 RNA NAAT (Qualitative)	Lab Name
Test Brand Name/Manufacturer	Provider Name
Facility Name	Collection Date / /
Result □ HIV-1 □ HIV-2 □ Both (HIV-1 and HIV-2) □ HIV, not differentiat	
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, re	esuit directly observed by a provider Lab test, sell-collected sample
TEST □ HIV-1 RNA NAAT (Qualitative and Quantitative)	
Test Brand Name/Manufacturer	Lab Name
Facility Name	Provider Name
Result Qualitative: □ Reactive □ Nonreactive	Collection Date / /
Analyte results: HIV-1 Quantitative: □ Detectable above limit □ Det	
,	Copies/mL Log
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	sult directly observed by a provider ² \square Lab test_self-collected sample
TEST □ HIV-1 RNA/DNA NAAT (Qualitative) □ HIV-1 culture □ HIV-2 RNA/	
Test Brand Name/Manufacturer	Lau Name
Facility Name	
	Collection Date / /
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	
TEST ☐ HIV-1 RNA/DNA NAAT (Quantitative) ☐ HIV-2 RNA/DNA NAAT (Qu	
Test Brand Name/Manufacturer	Dravidar Nama
Facility Name	Provider Name
Result □ Detectable above limit □ Detectable within limits □ Detectable below	w limit □ Not detected Copies/mL Log
Collection Date / /	
Testing Option (if applicable) □ Point-of-care test by provider □ Self-test, res	sult directly observed by a provider ² □ Lab test, self-collected sample
Drug Resistance Tests (Genotypic)	
TEST ☐ HIV-1 Genotype (Unspecified)	Test Brand Name/Manufacturer
	Facility Name
Provider Name	
Immunologic Tests (CD4 count and percentage)	
CD4 count cells/µL CD4 percentage %	Collection Date / /
Test Brand Name/Manufacturer	Lah Namo
	Provider Name
Facility Name	FIOVILLE INGILLE

(Page 3 of 6)

IX. Laboratory Data (record additional tests and tests not specified below in Comments) (record all dates as mm/dd/yyyy) (cont) **Documentation of Tests** Did documented laboratory test results meet approved HIV diagnostic algorithm criteria? ☐ Yes ☐ No ☐ Unknown If YES, provide specimen collection date of earliest positive test result for this algorithm Complete the above only if none of the following were positive for HIV-1: Western blot, IFA, culture, quantitative NAAT (RNA or DNA), qualitative NAAT (RNA or DNA), HIV-1/2 type-differentiating immunoassay (supplemental test), stand-alone p24 antigen, or nucleotide sequence. HIV-infected Is earliest evidence of diagnosis ☐ Yes ☐ No ☐ Unknown Date of diagnosis by physician documented by a physician rather Not HIV-infected Yes No Unknown Date of diagnosis by physician than by laboratory test results? ²Results not directly observed by a provider should be recorded in HIV Testing History. ³Complete the overall interpretation and the analyte results. ⁴Always complete the overall interpretation. Complete the analyte results when available. X. Birth History (for patients exposed perinatally with or without consequent infection) Birth history available? ☐ Yes ☐ No ☐ Unknown Address Type ☐ Residential ☐ Bad address ☐ Correctional facility ☐ Foster home ☐ Homeless ☐ Military □ Other □ Postal □ Shelter □ Temporary *Street Address City County State/Country *ZIP Code ☐ Check if SAME as facility providing information **Facility of Birth Facility Name of Birth** *Phone (if child was born at home, enter "home birth") **Facility Type** *Inpatient*: □ Hospital Outpatient: <u>Other Facility</u>: ☐ Emergency room ☐ Corrections ☐ Unknown ☐ Other, specify_ □ Other, specify □ Other, specify_ *Street Address City State/Country County *ZIP Code **Birth History** Birth Weight grams Type □ 1-Single □ 2-Twin □ 3-More than two □ 9-Unknown **Delivery** □ Vaginal □ Cesarean □ Unknown If Cesarean delivery, mark all the following indications that apply. ☐ HIV indication (high viral load) ☐ Previous Cesarean (repeat) □ Malpresentation (breech, transverse) ☐ Prolonged labor or failure to progress ☐ Birthing person's or physician's preference □ Fetal distress □ Placenta abruptia or p. previa □ Other (e.g., herpes, disproportion) (Specify) □ Not specified **Birth Information Date** Time (use military time: noon = 12:00; midnight = 00:00) Rupture of membranes Delivery **Congenital Disorders** ☐ Yes ☐ No ☐ Unknown If YES, specify types (99 = Unknown, 00 = None) Neonatal Status ☐ 1-Full-term ☐ 2-Premature ☐ 9-Unknown **Neonatal Gestational Age in Weeks** Was a toxicology screen Result Date of screen **Positive** Unknown done on the infant Not screened Negative after birth? Alcohol ☐ Yes ☐ No ☐ Unknown Amphetamines П (If screening for the same Barbiturates substance was done on Benzodiazepines П П П П more than one occasion Cocaine П П П П record additional dates and Crack cocaine П П results in Comments) П П Fentanyl Hallucinogens П П Heroin П K2

Specific drug(s) not documented

Marijuana

Methadone

Opiates

Other (specify)

PCP

Methamphetamines

Nicotine (any tobacco)

(cannabis, THC, cannabinoids)

П

П

П

П

П

П

П

П

П

П

П

П

П

П

П

XI. Birthing Person History (for patients exposed perinatally with or without consequent infection)

		les as					
Birthing Person Date of Birth/	/	Birthing	Birthing Person Last Name Soundex				
Birthing Person Country of Birth		Birthing	Birthing Person State ID Number				
Birthing Person City/County ID Num	ber	*Other Bi	*Other Birthing Person ID (specify type of ID and ID number)				
Prenatal Care—Month of Pregnancy (99 = Unknown, 00 = None)	Prenatal Care Began		Prenatal Care—Total Number of Prenatal Care Visits (99 = Unknown, 00 = None)				
Has the birthing person ever been preg	nant If YES, specify h	ow many previous preg		_			
before this pregnancy? Include previou pregnancies that ended in a live birth,	Live bird	•	lbirth Induced abortion	Year outcome o (9999 = Unkn			
miscarriage, stillbirth, or induced abort	ion. i. \square						
□ Yes □ No □ Unknown	iii.						
	iv. □						
	V. 🗆						
Was a test result (with a specimen co		pregnancy outcomes in Co		a hirthing narson's	lahor/delivery record		
CD4 □ Yes □ No □ Unknown	Quantitative NAAT (RNA	or DNA) □ Yes □ No	□ Unknown		laborraonvory rocora		
Did birthing person receive any antir		this pregnancy? 🗆 Ye	es 🗆 No 🗆 Refused 🗆	Unknown			
Date began / /	_ Date of last use	//					
If YES, specify all ARVs							
Did birthing person receive any ARV	s during this pregnancy?	□ Yes □ No □ Refu	sed 🗆 Unknown				
Date began / /	Date of last use	//					
If YES, specify all ARVs							
If NO, select reason □ No prenatal ca	are Birthing person know	n to be HIV-negative du	ring pregnancy Unkno	wn			
\square HIV serostatus of birthing person unk							
Did birthing person receive any ARV							
Date began / /	_ Date of last use	///					
If YES, specify all ARVs							
If NO, select reason □ Precipitous de	elivery/STAT Cesarean deliv	ery HIV serostatus o	f birthing person unknown	☐ Birth not in hosp			
☐ Birthing person tested HIV negative o					🗆 Unknown		
Was the birthing person screened fo		ditions during this pre	gnancy?				
Check test(s) performed before		nad No	l Inka oura				
Yes	Date of screen (mm/dd/y		Unknown				
Group B strep □ Hepatitis B (HBsAg) □	//						
Rubella							
Syphilis							
Were any of the following conditions d				r and delivery?			
were any or the following conditions a	-		No Unknown	Last Neg Test (Ic	ocal)		
Bacterial vaginosis					, oui,		
Chlamydia trachomatis infection				//			
Genital herpes							
Gonorrhea							
Group B strep							
Hepatitis B (HBsAg)							
Hepatitis C	/			//			
PID	/			//			
Syphilis	/						
Trichomoniasis	/						
Were substances used by the birthin	g person during this preg	nancy? □ Yes □ No □					
	Used and injected	Used and did not inject	Used and unknown if injected	Did not use	Unknown if used		
Alcohol							
Amphetamines							
Barbiturates							
Benzodiazepines							
Cocaine							
Crack cocaine							
Fentanyl							
Hallucinogens Heroin							
K2							
Marijuana (cannabis, THC, cannabinoids)							
Methadone							
Methamphetamines							
Nicotine (any tobacco)							
Opiates							
PCP							
Other (specify)							
Specific drug(s) not documented							

XI. Birthing Person History (for patients exposed perinatally with or without consequent infection) (cont) Was a toxicology screen done on the birthing person (either during this pregnancy or at the time of delivery)? Yes Unknown (If screening for the same substance was done on more than one occasion, record additional dates and results in Comments) Not screened Date of screen **Positive** Negative Unknown Alcohol П П Amphetamines Barbiturates Benzodiazepines Cocaine Crack cocaine П П П Fentanyl П П П Hallucinogens Heroin П Marijuana (cannabis, THC, cannabinoids) Methadone Methamphetamines Nicotine (any tobacco) П Opiates PCP Other (specify) Specific drug(s) not documented П П XII. Treatment/Services Referrals (record all dates as mm/dd/yyyy) Has this child ever taken any ARVs? ☐ Yes ☐ No ☐ Unknown **ARV** medication Date began Date of last use Reason for use HIV Tx PrEP PEP PMTCT HBV Tx Other (specify reason) П (Record additional ARV medications in Comments) This child's primary caretaker is 🗆 1—Biological parent 🗆 2—Other relative 🗀 3—Foster/Adoptive parent, relative 🗀 4—Foster/Adoptive parent, unrelated □ 7–Social service agency □ 8–Other (specify in comments) □ 9–Unknown XIII. Comments If pregnant, list EDD (due date): __ Check OOS State: DOC#: Link with e-HARS Stateno(s): **NIR Status:** XIV. *Local/Optional Fields **STARS:** NIR OP Date: Other Risks: A B/C D F M V J O **NIR RE** Date: Hepatits: A B Other UNKnown NIR CL Date: Initials (3): **Source Code:**